

Route 66 Wayfinding Project – RFQ

Respondent questions via phone, e-mail and during the Non-mandatory Pre-proposal meeting held on May 30th, 2013 and [answers](#):

The prospectus indicated 7 sites that are possible. Is the wish list to have something at every site? [Yes, preferably](#). Can we indicate another site or not as many if the budget does or doesn't allow. [Yes, we understand the budget limitations may not allow for 7 installations all at this time](#).

Would it be possible to send one concise multiple page PDF of all the images, image key, letter of intent and resumes in one file rather than sending attachments for each image file, resume, etc.? [No, we are requesting individual images so that we can set up a PowerPoint for the Review Committee](#).

Would you mind if I submitted my written materials in PDF format instead of Microsoft Word? I have found that Word docs can sometimes alter their look across platforms, and PDFs have been more reliable for me. [PDFs of written materials will be accepted as long as there are no pictures embedded in the document. \(Please note that CABQ Public Art Staff computers are currently running Windows 2003. Submitted materials must be compatible with our outdated system, sorry.\)](#)

I am applying as the lead artist with a design firm as a team, when the prospectus says 20 images does that mean 20 images total? or 20 images for the firm and 20 images for myself? Further, if it is 20 images total for the team, could I submit a dozen from the designers and 8 from myself? Or would the committee rather see an equal weight at 10 and 10. [The limit on images is 20 total. Please select your images wisely to best reflect the capabilities of your team](#).

Does the review process for the design and fabrication of the wayfinding signage include separate project, state, county, city committees presentations? Or is there just one and staff will guide it through? [There is one Art Selection Committee comprised of two Albuquerque Arts Board members, two Route 66 citizen/business owners and two City staff members. There is on additional Public Art staff, myself, who will guide the process. However, upon recommendation of award, the State DOT staff will have to review the proposal for meeting the basic criteria](#).

Have the cultural and historic entities at the proposed sites agreed to have the wayfinder signage? Do they have the power to veto? Is it the art team's job to convince partners? [Very few of the cultural venues are actually on Rt. 66, so they do not need to be part of the imagery approval. The cohesive look of the wayfinding is important for the desired affect. Some historic properties actually on Rt. 66 are very interested in being a location for an installation, but they do not have veto authority. City staff will be responsible for informing and any “convincing” of the partners. \(see section on Stakeholder Input\)](#)

Is new sidewalk being laid as part of this project, or must the art budget include

demolition of sidewalks and installation of enhanced footings and supports? At this time no new sidewalk is proposed, installations requiring new foundations will need to be included as part of the proposed budget, however city in-kind support may be available depending on sites. (An additional note on construction permitting – construction permits will be issues based on the cost of any proposed foundation work, not the entire project budget.)

Can you clarify what 'ongoing updates' means in the design and review context? The City of Albuquerque is working on multiple strategies to enhance and promote Route 66 as a unique and valuable asset for our community. (Please see details at the [ABQ The Plan](#) web page). As other efforts are developed and implemented, for example the Neon Design Overlay Zone, the selected Wayfinding Design Team will be provided with updates about those ongoing efforts. These complimentary efforts, however, are not expected to affect the review process directly.

Most of the following questions were brought up during the PowerPoint presentation at the Non-mandatory Pre-Proposal meeting. Applicants are encouraged to review the PowerPoint PDF document for the referenced slide number and questions.

Slide #6 Should signs point to something specific like downtown and Nob Hill? Signs will point to locations, venues and/or attractions based on where they are located and what amenities are nearby. These are just samples of the type of information that is expected to be conveyed, the image in the slide is not a literal depiction of the desired wayfinding object(s).

Slide #6 Can the hierarchy of the elements be adjusted so that the emphasis is on the attraction? Yes, the shape can be considerably different than standard signs and be descriptive of itself.

Slide #6 and #8 Can there be another layer to the sign? Meaning – can it reference Route 66 without actually spelling out Route 66? Yes, it can be whatever you envision it to be. It just needs to conjure up the meaning and idea of Route 66 in its imagery.

Slide #11 Is there uncertainty about the locations of the signs? Locations will be determined based on signs, designs and funding. The locations on the provided map are suggested due to proximity to other assets, historic sites or related venues. They are not set in stone.

Are the directions meant to guide cars or pedestrians? The signs should ideally be designed for both cars and pedestrians. The reflectivity and legibility of text or other descriptive elements will be important.

Will the signs need to meet MUTCD standards? They have strict font for ADA requirements. We are aiming at making this more of a public art project than a transit

project, but we need to speak with DOT to determine the exact, minimum needs. Those can be determined in the final design stage.

Do we need to plan for the signs to be embedded and have a plate mount? It depends on the design. Signs do not have to be pole mounted. If signs require embedding, then that has to be part of the plan. There also may be needs for spotting of utilities and for barricading. City Staff can help with making those determinations upon final design approval.

Does the budget need to include the cost of utilities for up to 15 years? No, any project that proposes lighting should include the initial cost to connect the structure to the necessary electrical, but the ongoing utility cost will be absorbed by an appropriate city department.

Is the RFQ appealing to NMDOT? NMDOT has been very supportive of the project and approved the RFQ prior to advertising. NMDOT does not have direct review or approval of the initial submittals regarding qualifications. NMDOT will have to approve the final selected Design team prior to entering into a contract for the services.

Do designs have to comply with Dark Skies ordinances? The City does not have a specific Dark Skies Ordinance but has some lighting requirements. It is not good to plan lighting that will shine into a residence, for example.

What about the actual submittal? When should I submit and will I receive confirmation? We will be using the time stamp on emails, so 5:01 on the day of is too late. Don't wait for the last minute to e-mail submission because the system has been known to backed up and not accept emails in time. You will receive an Auto-Reply confirmation email beginning on Thursday. The address given is the Public Art generic email, so the response will only be set up for the due date.

Route 66 Wayfinding Project – RFQ

Respondent questions via phone, e-mail and during the Non-mandatory Pre-proposal meeting held on May 30th, 2013 and [answers](#):

The prospectus indicated 7 sites that are possible. Is the wish list to have something at every site? [Yes, preferably](#). Can we indicate another site or not as many if the budget does or doesn't allow. [Yes, we understand the budget limitations may not allow for 7 installations all at this time](#).

Would it be possible to send one concise multiple page PDF of all the images, image key, letter of intent and resumes in one file rather than sending attachments for each image file, resume, etc.? [No, we are requesting individual images so that we can set up a PowerPoint for the Review Committee](#).

Would you mind if I submitted my written materials in PDF format instead of Microsoft Word? I have found that Word docs can sometimes alter their look across platforms, and PDFs have been more reliable for me. [PDFs of written materials will be accepted as long as there are no pictures embedded in the document. \(Please note that CABQ Public Art Staff computers are currently running Windows 2003. Submitted materials must be compatible with our outdated system, sorry.\)](#)

I am applying as the lead artist with a design firm as a team, when the prospectus says 20 images does that mean 20 images total? or 20 images for the firm and 20 images for myself? Further, if it is 20 images total for the team, could I submit a dozen from the designers and 8 from myself? Or would the committee rather see an equal weight at 10 and 10. [The limit on images is 20 total. Please select your images wisely to best reflect the capabilities of your team](#).

Does the review process for the design and fabrication of the wayfinding signage include separate project, state, county, city committees presentations? Or is there just one and staff will guide it through? [There is one Art Selection Committee comprised of two Albuquerque Arts Board members, two Route 66 citizen/business owners and two City staff members. There is an additional Public Art staff, myself, who will guide the process. However, upon recommendation of award, the State DOT staff will have to review the proposal for meeting the basic criteria](#).

Have the cultural and historic entities at the proposed sites agreed to have the wayfinder signage? Do they have the power to veto? Is it the art team's job to convince partners? [Very few of the cultural venues are actually on Rt. 66, so they do not need to be part of the imagery approval. The cohesive look of the wayfinding is important for the desired affect. Some historic properties actually on Rt. 66 are very interested in being a location for an installation, but they do not have veto authority. City staff will be responsible for informing and any "convincing" of the partners. \(see section on Stakeholder Input\)](#)

Is new sidewalk being laid as part of this project, or must the art budget include

demolition of sidewalks and installation of enhanced footings and supports? At this time no new sidewalk is proposed, installations requiring new foundations will need to be included as part of the proposed budget, however city in-kind support may be available depending on sites. (An additional note on construction permitting – construction permits will be issues based on the cost of any proposed foundation work, not the entire project budget.)

Can you clarify what 'ongoing updates' means in the design and review context? The City of Albuquerque is working on multiple strategies to enhance and promote Route 66 as a unique and valuable asset for our community. (Please see details at the [ABQ The Plan](#) web page). As other efforts are developed and implemented, for example the Neon Design Overlay Zone, the selected Wayfinding Design Team will be provided with updates about those ongoing efforts. These complimentary efforts, however, are not expected to affect the review process directly.

Most of the following questions were brought up during the PowerPoint presentation at the Non-mandatory Pre-Proposal meeting. Applicants are encouraged to review the PowerPoint PDF document for the referenced slide number and questions.

Slide #6 Should signs point to something specific like downtown and Nob Hill? Signs will point to locations, venues and/or attractions based on where they are located and what amenities are nearby. These are just samples of the type of information that is expected to be conveyed, the image in the slide is not a literal depiction of the desired wayfinding object(s).

Slide #6 Can the hierarchy of the elements be adjusted so that the emphasis is on the attraction? Yes, the shape can be considerably different than standard signs and be descriptive of itself.

Slide #6 and #8 Can there be another layer to the sign? Meaning – can it reference Route 66 without actually spelling out Route 66? Yes, it can be whatever you envision it to be. It just needs to conjure up the meaning and idea of Route 66 in its imagery.

Slide #11 Is there uncertainty about the locations of the signs? Locations will be determined based on signs, designs and funding. The locations on the provided map are suggested due to proximity to other assets, historic sites or related venues. They are not set in stone.

Are the directions meant to guide cars or pedestrians? The signs should ideally be designed for both cars and pedestrians. The reflectivity and legibility of text or other descriptive elements will be important.

Will the signs need to meet MUTCD standards? They have strict font for ADA requirements. We are aiming at making this more of a public art project than a transit

project, but we need to speak with DOT to determine the exact, minimum needs. Those can be determined in the final design stage.

Do we need to plan for the signs to be embedded and have a plate mount? It depends on the design. Signs do not have to be pole mounted. If signs require embedding, then that has to be part of the plan. There also may be needs for spotting of utilities and for barricading. City Staff can help with making those determinations upon final design approval.

Does the budget need to include the cost of utilities for up to 15 years? No, any project that proposes lighting should include the initial cost to connect the structure to the necessary electrical, but the ongoing utility cost will be absorbed by an appropriate city department.

Is the RFQ appealing to NMDOT? NMDOT has been very supportive of the project and approved the RFQ prior to advertising. NMDOT does not have direct review or approval of the initial submittals regarding qualifications. NMDOT will have to approve the final selected Design team prior to entering into a contract for the services.

Do designs have to comply with Dark Skies ordinances? The City does not have a specific Dark Skies Ordinance but has some lighting requirements. It is not good to plan lighting that will shine into a residence, for example.

What about the actual submittal? When should I submit and will I receive confirmation? We will be using the time stamp on emails, so 5:01 on the day of is too late. Don't wait for the last minute to e-mail submission because the system has been known to backed up and not accept emails in time. You will receive an Auto-Reply confirmation email beginning on Thursday. The address given is the Public Art generic email, so the response will only be set up for the due date.

Route 66 Wayfinding Project – RFQ

Respondent questions via phone, e-mail and during the Non-mandatory Pre-proposal meeting held on May 30th, 2013 and [answers](#):

The prospectus indicated 7 sites that are possible. Is the wish list to have something at every site? [Yes, preferably](#). Can we indicate another site or not as many if the budget does or doesn't allow. [Yes, we understand the budget limitations may not allow for 7 installations all at this time](#).

Would it be possible to send one concise multiple page PDF of all the images, image key, letter of intent and resumes in one file rather than sending attachments for each image file, resume, etc.? [No, we are requesting individual images so that we can set up a PowerPoint for the Review Committee](#).

Would you mind if I submitted my written materials in PDF format instead of Microsoft Word? I have found that Word docs can sometimes alter their look across platforms, and PDFs have been more reliable for me. [PDFs of written materials will be accepted as long as there are no pictures embedded in the document. \(Please note that CABQ Public Art Staff computers are currently running Windows 2003. Submitted materials must be compatible with our outdated system, sorry.\)](#)

I am applying as the lead artist with a design firm as a team, when the prospectus says 20 images does that mean 20 images total? or 20 images for the firm and 20 images for myself? Further, if it is 20 images total for the team, could I submit a dozen from the designers and 8 from myself? Or would the committee rather see an equal weight at 10 and 10. [The limit on images is 20 total. Please select your images wisely to best reflect the capabilities of your team](#).

Does the review process for the design and fabrication of the wayfinding signage include separate project, state, county, city committees presentations? Or is there just one and staff will guide it through? [There is one Art Selection Committee comprised of two Albuquerque Arts Board members, two Route 66 citizen/business owners and two City staff members. There is on additional Public Art staff, myself, who will guide the process. However, upon recommendation of award, the State DOT staff will have to review the proposal for meeting the basic criteria](#).

Have the cultural and historic entities at the proposed sites agreed to have the wayfinder signage? Do they have the power to veto? Is it the art team's job to convince partners? [Very few of the cultural venues are actually on Rt. 66, so they do not need to be part of the imagery approval. The cohesive look of the wayfinding is important for the desired affect. Some historic properties actually on Rt. 66 are very interested in being a location for an installation, but they do not have veto authority. City staff will be responsible for informing and any “convincing” of the partners. \(see section on Stakeholder Input\)](#)

Is new sidewalk being laid as part of this project, or must the art budget include

demolition of sidewalks and installation of enhanced footings and supports? At this time no new sidewalk is proposed, installations requiring new foundations will need to be included as part of the proposed budget, however city in-kind support may be available depending on sites. (An additional note on construction permitting – construction permits will be issues based on the cost of any proposed foundation work, not the entire project budget.)

Can you clarify what 'ongoing updates' means in the design and review context? The City of Albuquerque is working on multiple strategies to enhance and promote Route 66 as a unique and valuable asset for our community. (Please see details at the [ABQ The Plan](#) web page). As other efforts are developed and implemented, for example the Neon Design Overlay Zone, the selected Wayfinding Design Team will be provided with updates about those ongoing efforts. These complimentary efforts, however, are not expected to affect the review process directly.

Most of the following questions were brought up during the PowerPoint presentation at the Non-mandatory Pre-Proposal meeting. Applicants are encouraged to review the PowerPoint PDF document for the referenced slide number and questions.

Slide #6 Should signs point to something specific like downtown and Nob Hill? Signs will point to locations, venues and/or attractions based on where they are located and what amenities are nearby. These are just samples of the type of information that is expected to be conveyed, the image in the slide is not a literal depiction of the desired wayfinding object(s).

Slide #6 Can the hierarchy of the elements be adjusted so that the emphasis is on the attraction? Yes, the shape can be considerably different than standard signs and be descriptive of itself.

Slide #6 and #8 Can there be another layer to the sign? Meaning – can it reference Route 66 without actually spelling out Route 66? Yes, it can be whatever you envision it to be. It just needs to conjure up the meaning and idea of Route 66 in its imagery.

Slide #11 Is there uncertainty about the locations of the signs? Locations will be determined based on signs, designs and funding. The locations on the provided map are suggested due to proximity to other assets, historic sites or related venues. They are not set in stone.

Are the directions meant to guide cars or pedestrians? The signs should ideally be designed for both cars and pedestrians. The reflectivity and legibility of text or other descriptive elements will be important.

Will the signs need to meet MUTCD standards? They have strict font for ADA requirements. We are aiming at making this more of a public art project than a transit

project, but we need to speak with DOT to determine the exact, minimum needs. Those can be determined in the final design stage.

Do we need to plan for the signs to be embedded and have a plate mount? It depends on the design. Signs do not have to be pole mounted. If signs require embedding, then that has to be part of the plan. There also may be needs for spotting of utilities and for barricading. City Staff can help with making those determinations upon final design approval.

Does the budget need to include the cost of utilities for up to 15 years? No, any project that proposes lighting should include the initial cost to connect the structure to the necessary electrical, but the ongoing utility cost will be absorbed by an appropriate city department.

Is the RFQ appealing to NMDOT? NMDOT has been very supportive of the project and approved the RFQ prior to advertising. NMDOT does not have direct review or approval of the initial submittals regarding qualifications. NMDOT will have to approve the final selected Design team prior to entering into a contract for the services.

Do designs have to comply with Dark Skies ordinances? The City does not have a specific Dark Skies Ordinance but has some lighting requirements. It is not good to plan lighting that will shine into a residence, for example.

What about the actual submittal? When should I submit and will I receive confirmation? We will be using the time stamp on emails, so 5:01 on the day of is too late. Don't wait for the last minute to e-mail submission because the system has been known to backed up and not accept emails in time. You will receive an Auto-Reply confirmation email beginning on Thursday. The address given is the Public Art generic email, so the response will only be set up for the due date.

Route 66 Wayfinding Project – RFQ

Respondent questions via phone, e-mail and during the Non-mandatory Pre-proposal meeting held on May 30th, 2013 and [answers](#):

The prospectus indicated 7 sites that are possible. Is the wish list to have something at every site? [Yes, preferably](#). Can we indicate another site or not as many if the budget does or doesn't allow. [Yes, we understand the budget limitations may not allow for 7 installations all at this time](#).

Would it be possible to send one concise multiple page PDF of all the images, image key, letter of intent and resumes in one file rather than sending attachments for each image file, resume, etc.? [No, we are requesting individual images so that we can set up a PowerPoint for the Review Committee](#).

Would you mind if I submitted my written materials in PDF format instead of Microsoft Word? I have found that Word docs can sometimes alter their look across platforms, and PDFs have been more reliable for me. [PDFs of written materials will be accepted as long as there are no pictures embedded in the document. \(Please note that CABQ Public Art Staff computers are currently running Windows 2003. Submitted materials must be compatible with our outdated system, sorry.\)](#)

I am applying as the lead artist with a design firm as a team, when the prospectus says 20 images does that mean 20 images total? or 20 images for the firm and 20 images for myself? Further, if it is 20 images total for the team, could I submit a dozen from the designers and 8 from myself? Or would the committee rather see an equal weight at 10 and 10. [The limit on images is 20 total. Please select your images wisely to best reflect the capabilities of your team](#).

Does the review process for the design and fabrication of the wayfinding signage include separate project, state, county, city committees presentations? Or is there just one and staff will guide it through? [There is one Art Selection Committee comprised of two Albuquerque Arts Board members, two Route 66 citizen/business owners and two City staff members. There is an additional Public Art staff, myself, who will guide the process. However, upon recommendation of award, the State DOT staff will have to review the proposal for meeting the basic criteria](#).

Have the cultural and historic entities at the proposed sites agreed to have the wayfinder signage? Do they have the power to veto? Is it the art team's job to convince partners? [Very few of the cultural venues are actually on Rt. 66, so they do not need to be part of the imagery approval. The cohesive look of the wayfinding is important for the desired affect. Some historic properties actually on Rt. 66 are very interested in being a location for an installation, but they do not have veto authority. City staff will be responsible for informing and any "convincing" of the partners. \(see section on Stakeholder Input\)](#)

Is new sidewalk being laid as part of this project, or must the art budget include

demolition of sidewalks and installation of enhanced footings and supports? At this time no new sidewalk is proposed, installations requiring new foundations will need to be included as part of the proposed budget, however city in-kind support may be available depending on sites. (An additional note on construction permitting – construction permits will be issues based on the cost of any proposed foundation work, not the entire project budget.)

Can you clarify what 'ongoing updates' means in the design and review context? The City of Albuquerque is working on multiple strategies to enhance and promote Route 66 as a unique and valuable asset for our community. (Please see details at the [ABQ The Plan](#) web page). As other efforts are developed and implemented, for example the Neon Design Overlay Zone, the selected Wayfinding Design Team will be provided with updates about those ongoing efforts. These complimentary efforts, however, are not expected to affect the review process directly.

Most of the following questions were brought up during the PowerPoint presentation at the Non-mandatory Pre-Proposal meeting. Applicants are encouraged to review the PowerPoint PDF document for the referenced slide number and questions.

Slide #6 Should signs point to something specific like downtown and Nob Hill? Signs will point to locations, venues and/or attractions based on where they are located and what amenities are nearby. These are just samples of the type of information that is expected to be conveyed, the image in the slide is not a literal depiction of the desired wayfinding object(s).

Slide #6 Can the hierarchy of the elements be adjusted so that the emphasis is on the attraction? Yes, the shape can be considerably different than standard signs and be descriptive of itself.

Slide #6 and #8 Can there be another layer to the sign? Meaning – can it reference Route 66 without actually spelling out Route 66? Yes, it can be whatever you envision it to be. It just needs to conjure up the meaning and idea of Route 66 in its imagery.

Slide #11 Is there uncertainty about the locations of the signs? Locations will be determined based on signs, designs and funding. The locations on the provided map are suggested due to proximity to other assets, historic sites or related venues. They are not set in stone.

Are the directions meant to guide cars or pedestrians? The signs should ideally be designed for both cars and pedestrians. The reflectivity and legibility of text or other descriptive elements will be important.

Will the signs need to meet MUTCD standards? They have strict font for ADA requirements. We are aiming at making this more of a public art project than a transit

project, but we need to speak with DOT to determine the exact, minimum needs. Those can be determined in the final design stage.

Do we need to plan for the signs to be embedded and have a plate mount? It depends on the design. Signs do not have to be pole mounted. If signs require embedding, then that has to be part of the plan. There also may be needs for spotting of utilities and for barricading. City Staff can help with making those determinations upon final design approval.

Does the budget need to include the cost of utilities for up to 15 years? No, any project that proposes lighting should include the initial cost to connect the structure to the necessary electrical, but the ongoing utility cost will be absorbed by an appropriate city department.

Is the RFQ appealing to NMDOT? NMDOT has been very supportive of the project and approved the RFQ prior to advertising. NMDOT does not have direct review or approval of the initial submittals regarding qualifications. NMDOT will have to approve the final selected Design team prior to entering into a contract for the services.

Do designs have to comply with Dark Skies ordinances? The City does not have a specific Dark Skies Ordinance but has some lighting requirements. It is not good to plan lighting that will shine into a residence, for example.

What about the actual submittal? When should I submit and will I receive confirmation? We will be using the time stamp on emails, so 5:01 on the day of is too late. Don't wait for the last minute to e-mail submission because the system has been known to backed up and not accept emails in time. You will receive an Auto-Reply confirmation email beginning on Thursday. The address given is the Public Art generic email, so the response will only be set up for the due date.

Route 66 Wayfinding Project – RFQ

Respondent questions via phone, e-mail and during the Non-mandatory Pre-proposal meeting held on May 30th, 2013 and [answers](#):

The prospectus indicated 7 sites that are possible. Is the wish list to have something at every site? [Yes, preferably](#). Can we indicate another site or not as many if the budget does or doesn't allow. [Yes, we understand the budget limitations may not allow for 7 installations all at this time](#).

Would it be possible to send one concise multiple page PDF of all the images, image key, letter of intent and resumes in one file rather than sending attachments for each image file, resume, etc.? [No, we are requesting individual images so that we can set up a PowerPoint for the Review Committee](#).

Would you mind if I submitted my written materials in PDF format instead of Microsoft Word? I have found that Word docs can sometimes alter their look across platforms, and PDFs have been more reliable for me. [PDFs of written materials will be accepted as long as there are no pictures embedded in the document. \(Please note that CABQ Public Art Staff computers are currently running Windows 2003. Submitted materials must be compatible with our outdated system, sorry.\)](#)

I am applying as the lead artist with a design firm as a team, when the prospectus says 20 images does that mean 20 images total? or 20 images for the firm and 20 images for myself? Further, if it is 20 images total for the team, could I submit a dozen from the designers and 8 from myself? Or would the committee rather see an equal weight at 10 and 10. [The limit on images is 20 total. Please select your images wisely to best reflect the capabilities of your team](#).

Does the review process for the design and fabrication of the wayfinding signage include separate project, state, county, city committees presentations? Or is there just one and staff will guide it through? [There is one Art Selection Committee comprised of two Albuquerque Arts Board members, two Route 66 citizen/business owners and two City staff members. There is on additional Public Art staff, myself, who will guide the process. However, upon recommendation of award, the State DOT staff will have to review the proposal for meeting the basic criteria](#).

Have the cultural and historic entities at the proposed sites agreed to have the wayfinder signage? Do they have the power to veto? Is it the art team's job to convince partners? [Very few of the cultural venues are actually on Rt. 66, so they do not need to be part of the imagery approval. The cohesive look of the wayfinding is important for the desired affect. Some historic properties actually on Rt. 66 are very interested in being a location for an installation, but they do not have veto authority. City staff will be responsible for informing and any “convincing” of the partners. \(see section on Stakeholder Input\)](#)

Is new sidewalk being laid as part of this project, or must the art budget include

demolition of sidewalks and installation of enhanced footings and supports? At this time no new sidewalk is proposed, installations requiring new foundations will need to be included as part of the proposed budget, however city in-kind support may be available depending on sites. (An additional note on construction permitting – construction permits will be issues based on the cost of any proposed foundation work, not the entire project budget.)

Can you clarify what 'ongoing updates' means in the design and review context? The City of Albuquerque is working on multiple strategies to enhance and promote Route 66 as a unique and valuable asset for our community. (Please see details at the [ABQ The Plan](#) web page). As other efforts are developed and implemented, for example the Neon Design Overlay Zone, the selected Wayfinding Design Team will be provided with updates about those ongoing efforts. These complimentary efforts, however, are not expected to affect the review process directly.

Most of the following questions were brought up during the PowerPoint presentation at the Non-mandatory Pre-Proposal meeting. Applicants are encouraged to review the PowerPoint PDF document for the referenced slide number and questions.

Slide #6 Should signs point to something specific like downtown and Nob Hill? Signs will point to locations, venues and/or attractions based on where they are located and what amenities are nearby. These are just samples of the type of information that is expected to be conveyed, the image in the slide is not a literal depiction of the desired wayfinding object(s).

Slide #6 Can the hierarchy of the elements be adjusted so that the emphasis is on the attraction? Yes, the shape can be considerably different than standard signs and be descriptive of itself.

Slide #6 and #8 Can there be another layer to the sign? Meaning – can it reference Route 66 without actually spelling out Route 66? Yes, it can be whatever you envision it to be. It just needs to conjure up the meaning and idea of Route 66 in its imagery.

Slide #11 Is there uncertainty about the locations of the signs? Locations will be determined based on signs, designs and funding. The locations on the provided map are suggested due to proximity to other assets, historic sites or related venues. They are not set in stone.

Are the directions meant to guide cars or pedestrians? The signs should ideally be designed for both cars and pedestrians. The reflectivity and legibility of text or other descriptive elements will be important.

Will the signs need to meet MUTCD standards? They have strict font for ADA requirements. We are aiming at making this more of a public art project than a transit

project, but we need to speak with DOT to determine the exact, minimum needs. Those can be determined in the final design stage.

Do we need to plan for the signs to be embedded and have a plate mount? It depends on the design. Signs do not have to be pole mounted. If signs require embedding, then that has to be part of the plan. There also may be needs for spotting of utilities and for barricading. City Staff can help with making those determinations upon final design approval.

Does the budget need to include the cost of utilities for up to 15 years? No, any project that proposes lighting should include the initial cost to connect the structure to the necessary electrical, but the ongoing utility cost will be absorbed by an appropriate city department.

Is the RFQ appealing to NMDOT? NMDOT has been very supportive of the project and approved the RFQ prior to advertising. NMDOT does not have direct review or approval of the initial submittals regarding qualifications. NMDOT will have to approve the final selected Design team prior to entering into a contract for the services.

Do designs have to comply with Dark Skies ordinances? The City does not have a specific Dark Skies Ordinance but has some lighting requirements. It is not good to plan lighting that will shine into a residence, for example.

What about the actual submittal? When should I submit and will I receive confirmation? We will be using the time stamp on emails, so 5:01 on the day of is too late. Don't wait for the last minute to e-mail submission because the system has been known to backed up and not accept emails in time. You will receive an Auto-Reply confirmation email beginning on Thursday. The address given is the Public Art generic email, so the response will only be set up for the due date.