

Fall 2020 Databook

1/1/20-9/1/20


Prepared by NMSC

Contact Sheet Dataset Overview


- Unless otherwise noted n=5467 Contact Sheets.
- APD CIT Contact Sheets were used from 1/1/2020 to 9/1/2020.

Contact Sheet Demographics


Male Individuals are more Common



Ages reported on Contact Sheets




Contact Sheets primarily involve White individuals*




*Hispanic Origin is tracked separately; about 36% (n=1967) of Contact Sheets identify a Hispanic Subject.

22% of Contact Sheets involve a Homeless Individual



About 5% of Contact Sheets involve a Veteran




Most Transports go to UNMMH or Kaseman (n=3159)


Transport Destination	Transport Frequency	% of Transports
UNMMH	1266	40.08%
Kaseman	1203	38.08%
Lovlace	202	6.39%
Presbyterian	201	6.36%
VA	106	3.36%
Rust	73	2.31%
Lovlace Women's Hospital	53	1.68%
Lovlace Westside	29	0.92%
Other	11	0.35%
UNMH	4	0.13%
MDC	3	0.09%
PRESBYTERIAN DOWNTOWN	2	0.06%
UNM	2	0.06%
MDC PSU	1	0.03%
PSU	1	0.03%
St. Joseph's	1	0.03%
UNMH ER	1	0.03%

Encounter Data

Contact Sheets by Area Command (n=5409)




Most Contact Sheets come from non-Mental Health Units, followed by COAST




Contact Sheets may indicate multiple disorders

Self ID	Freq
Depression	923
Schizophrenia	909
Bipolar Disorder	678
PTSD	580
Anxiety	537
ADHD	159
Intellectual Disability	143
Autism	133
Brain Disorder	91

Most Contact Sheets are Resolved with No Action, Voluntary Transport, or an Enforcement Action




Enforcement Actions (n=176) are primarily Arrests



Under 3% of Total Contact Sheets indicate an Arrest for Felony or Misdemeanor Charges

Arrest	Freq.
FELONY	66
MISDEMEANOR	65
Total	121

About 4% of Contact Sheets Report an Injury of any type



Use of Force Data

Use of Force Data Overview

- Use of force data is drawn from **a different data source than contact sheets**, IA Pro using the same dates (1/1/20 to 9/1/20). Each incident is identified by its CAD number.
- All force incidents are filtered by call type: behavioral health or suicide.
- Of all the behavioral health CADS (N=4033) **53 (1.3%) CADs involve a use of force**. A CAD may encompass multiple recorded uses of force.
 - Of the 53 Force cases 48 (~91%) of cases had an ECIT officer on scene.

Types of Force Used

Note: CAD Incidents may include multiple uses of force.

Level 1 Use of Force: Force that is likely to cause only transitory pain, disorientation, and/or discomfort during its application as a means of gaining compliance.

Level 2 Use of Force: Force that causes injury, could reasonably be expected to cause injury, or results in a complaint of injury.

Level 3 Use of Force: Force that results in, or could reasonably result in, serious physical injury, hospitalization, or death.

Type of Force	Frequency
Force Level 1	57
Resisted Handcuffing	40
ECW: Painting	6
Rifle: pointing	4
Handgun: pointing	2
40mm: pointing	2
Beanbag: pointing	1
ECW: Arcing	1
ECW: Pointing	1
Force Level 2	78
Empty Hand: control	35
Empty Hand: takedown	22
ECW	6
Empty Hand Techniques	6
Pain Compliance	4
Oc Spray	1
Beanbag	1
Takedowns - Solo	1
40mm	1
Empty Hand: leg sweep	1
Ordered Force (Any Nonlethal Level)	3
Ordered Force	3

Injuries from Force

Injury Type	Frequency
No Injury Reported	22
Caused by LEO: Abrasions	13
Caused by LEO: Complaint	8
Not Caused LEO: Abrasions	6
Not Caused LEO: Lacerations	5
Not Caused LEO: Complaint	3
Not Caused LEO: Bruises	2
Caused by LEO: Bruises	2
Caused by LEO: ECW Probes	2
Not Caused LEO: other injury	2
Bloody nose	1
ECW Probes	1
Abrasions	1
Caused by LEO: Lacerations	1
Caused by LEO: OC exposure	1
Caused by LEO: Other Injury	1