

# ANVIL® 10+10 ULV

Contains An Oil Soluble Synergized Synthetic Pyrethroid For Control of Adult Mosquitoes (Including Organophosphate-Resistant Species) Midges, and Black Flies In Outdoor Residential and Recreational Areas.

**ACTIVE INGREDIENTS:**

3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate .....	10.00%
Piperonyl Butoxide, Technical* .....	10.00%
OTHER INGREDIENTS** .....	80.00%
	100.00%

Contains 0.74 pounds of Technical SUMITHRIN®/Gallon and 0.74 pounds Technical Piperonyl Butoxide/Gallon

\* Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and 2.00% related compounds

\*\* Contains a petroleum distillate

## KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

IF SWALLOWED • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person

IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over permanent bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material beyond the body of water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

**BEE WARNING:** This product is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply to or allow drift onto blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise

authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other requirements exist.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

**USE AREAS:** For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. ANVIL 10+10 ULV may be applied over agricultural areas for the control of adult mosquitoes within or adjacent to the treatment area..

For best results, apply when mosquitoes are most active and weather conditions are conducive to keeping the fog close to the ground. Application in calm conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Air temperature should be greater than 50F when conducting all types of applications.

Do not treat a site with more than 0.0036 pounds of Sumithrin® per acre in a 24-hour period. Do not exceed 1.0 pounds of Sumithrin® per acre in any site in any year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Note: ANVIL 10+10 ULV can not be diluted in water. Dilute this product with light mineral oil if dilution is preferred.

**SPRAY DROPLET SIZE DETERMINATION**

**Ground Equipment:** Spray equipment must be adjusted so that the volume median diameter (VMD) is 8 to 30 microns (8 ≤ Dv 0.5 ≤ 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**Aerial Equipment:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv 0.9 < 115 um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**GROUND ULV APPLICATION**

Apply ANVIL 10+10 ULV through a standard ULV cold aerosol or non-thermal aerosol (cold fog) generator. Consult the following table for examples of various dosage rates using a swath width of 300 feet for acreage calculations.

Dosage Rate	Fl. oz. ANVIL	Flow Rates in fluid oz./minute at truck speeds of:			
		5MPH	10MPH	15MPH	20MPH
Lbs Sumithrin®/acre	10+10 ULV per Acre				
0.0036	0.62	1.9 oz.	3.8 oz	5.7 oz	7.6 oz
0.0024	0.42	1.3 oz	2.5 oz	3.8 oz	5.1 oz
0.0012	0.21	0.6 oz	1.3 oz	1.9 oz	2.5 oz

**ANVIL 10 + 10 ULV** may also be applied undiluted with non-thermal, portable, motorized backpack equipment adjusted to deliver ULV particles of 50 to 100 microns VMD. Use 0.21 to 0.62 fl.oz. of the undiluted spray per acre (equal to 0.0012 to 0.0036 lb.ai./acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph).

**ANVIL 10+10 ULV** may be applied through truck mounted thermal fogging equipment. Do not exceed the maximum rates listed above. May be applied at speeds of 5 to 20 mph. To reduce oil requirement and sludge buildup in equipment, use 100-second viscosity mineral "fog" oil. For use with hand carried foggers, use same rates of active ingredient per acre. Do not wet foliage since oil base formulations may be phytotoxic. Use a clean, well-maintained and properly calibrated fogger. Fog downwind.

**ANVIL 10+10 ULV** may be applied for Urban ULV mosquito control. For control of resting or flying adult mosquitoes, biting flies and biting midges in areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or uninhabited buildings. ANVIL 10+10 ULV may be applied using mechanical foggers, hand-held or truck mounted ULV equipment, thermal foggers or other spray equipment suitable for this applica-

tion. Apply ANVIL 10+10 ULV at rates up to but not exceeding 0.0036 pounds sumithrin per acre per twenty-four hour period (not to exceed 1.0 pounds sumithrin per acre in any site in any year).

**AERIAL APPLICATION**

IN FLORIDA: Do not apply by aircraft unless approved by the Florida Department of Agriculture and Consumer Services.

ANVIL 10+10 ULV may be applied at rates of 0.21 to 0.62 fluid ounces of ANVIL 10+10 ULV per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. ANVIL 10+10 ULV may also be diluted with a suitable solvent such as mineral oil and applied by aerial ULV equipment so long as 0.62 fluid ounces per acre of ANVIL 10+10 ULV is not exceeded. Application shall be made at 75 to 300 feet for rotary aircraft and 100 to 300 feet for fixed-wing aircraft.

Dosage Rate	Flow Rates in fluid oz./acre:
Lbs Sumithrin®/acre	ANVIL® 10 + 10 ULV
0.0036	0.62 oz
0.0024	0.42 oz
0.0012	0.21 oz

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place. Keep container closed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING FOR REFILLABLE DRUMS AND TOTES:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONTAINER HANDLING FOR NONREFILLABLE CONTAINERS:** Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**TRIPLE RINSE AS FOLLOWS:** (CONTAINERS 5 GALLON CAPACITY OR SMALLER): Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with mineral oil and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. (CONTAINERS LARGER THAN 5 GALLON CAPACITY): Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with mineral oil. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

E.P.A. EST. No. 8329-IL-01

NET CONTENTS: 55 GAL

EPA Reg. No. 1021-1688-8329

LOT NO. \_\_\_\_\_

MANUFACTURED BY

**CLARKE MOSQUITO CONTROL PRODUCTS, INC.**

159 N. GARDEN AVENUE • ROSELLE, ILLINOIS 60172

NOTICE: To the extent provided by law, Clarke Mosquito Control Products, Inc. makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

SUMITHRIN™ Trademark of Sumitomo Company, Ltd.

ANVIL® - Registered trademark of Clarke Mosquito Control Products, Inc.

**FOR MORE INFORMATION CALL:  
1-800-323-5727**