


ALBUQUERQUE FIRE RESCUE ONE ALBUQUE



MONTHLY INFORMATIONAL REPORT

JUNE 2022



ALBUQUERQUE FIRE RESCUE TRANSPORTS/EMS

JUNE **2022**



| REASON FOR TRANSPORT | JUNE | YTD |
|----------------------------|------|-------|
| AAS DELAYED | 288 | 1,624 |
| COA ON DUTY | 5 | 24 |
| AFR OFF DUTY | 0 | 3 |
| PED BEHAVIORAL HEALTH | 5 | 36 |
| SPOUSE/CHILD OF AFR MEMBER | 0 | 7 |
| AFR RETIREE/SPOUSE | 1 | 11 |
| BARIATRIC | 0 | 0 |
| MEDIC 5 TRANSPORTS | 0 | 11 |
| TOTAL | 299 | 1,276 |

| 1UL | NE RESCUE | TRANS | PORTS | YTD | BY UNIT | | Y | TD B | Y N | ION | TH | | |
|------------|-----------|-------|-------|---------|----------------|-----------|-------|----------|-----|-----|-----|-----|-----|
| | R12 | 27 | | R5 | 89 | | 0 50 | 100 | 150 | 200 | 250 | 300 | 350 |
| | R5 | 26 | | R22 | 64 | JANUARY | 253 | 3 | | | | | |
| - | R16 | 22 | | R11 | 60 | | | I | | | | | |
| | R9 | 22 | | R13 | 59 | FEBRUARY | 256 | 3 | | | | | |
| | R14 | 19 | | R16 | 58 | | | _ | | | | | |
| | R22 | 18 | | R4 | 54 | MARCH | 207 | | | | | | |
| | R11 | 17 | | R12 | 54 | APRIL | 218 | 2 | | | | | |
| | R19 | 17 | | R9 | 53 | AFRIL | 219 |) | | T | | | |
| | R4 | 16 | | R7 | 48 | MAY | 328 | 3 | | | | | П |
| | R13 | 16 | | R8 | 47 | | | | | | | | " |
| | R15 | 14 | | R3 | 47 | JUNE | 299 | • | | | | | |
| | R2 | 13 | | R21 | 44 | | | | | | | | |
| | R6 | 12 | | R15 | 38 | JULY | | | | | | | |
| | R8 | 12 | | R19 | 38 | AUGUST | 1 | | | | | | |
| | R18 | 12 | | R2 | 36 | A09031 | 1 | | | | | | |
| | R3 | 12 | | R1 | 33 | SEPTEMBER | | | | | | | |
| | R21 | 11 | | R20 | 27 | | - | | | | | | |
| | R17 | 11 | | R14 | 27 | OCTOBER | | | | | | | |
| | R1 | 11 | | R18 | 21 | | 1 | | | | | | |
| | R7 | 9 | | R17 | 20 | NOVEMBER | | | | | | | |
| | R20 | 8 | | R6 | 19 | DECEMBER | | | | | | | |
| | MEDIC 5 | 3 | | MEDIC 5 | 11 | DECEMBER | | | | | | | |
| | TOTAL | 328 | | TOTAL | 1,262 | TOTAL | 1,561 | | | | | | |



| EMS STATISTICS M | | ICS MEDIC | CAL RESPO | NSE BY | CODE |
|------------------|----------------------|--------------------|-----------|--------|-----------------|
| | ALL ARRESTS WITH CPR | 56 ; 14 ROSC (23%) | ЕСНО | 108 | |
| | LUCAS DEVICE USED | 43 ; 12 ROSC (26%) | DELTA | 1,574 | │ |
| | IO ACCESS | 60 | CHARLIE | 1,800 | LEVEL |
| | LMA / I-GEL | 31 / 29 | BRAVO | 2,084 | OF EMERGENCY |
| | INTUBATIONS | 5 | ALPHA | 1,853 | |
| | CPAP ADMINISTERED | 14 | OMEGA | 140 | |
| | IV | 617 | TOTAL | 7,559 | |
| | | | | ı | |

CONFIRMED STEMI


N/A

CONFIRMED STROKE

N/A

CRITICAL TRAUMAS

46



| E5 19 1 89 4 349 11 473 R5 0 0 25 0 397 0 422 E13 32 2 67 9 294 11 415 E11 25 2 77 8 297 4 413 E12 22 0 50 3 328 8 411 R12 0 0 7 0 395 6 408 R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 <th></th> <th>ALARMS</th> <th>CIP</th> <th>FIRE</th> <th>HAZMAT</th> <th>MEDICAL</th> <th>OTHERS</th> <th>TOTAL</th> | | ALARMS | CIP | FIRE | HAZMAT | MEDICAL | OTHERS | TOTAL |
|---|-----|--------|-----|------|--------|---------|--------|-------|
| E13 32 2 67 9 294 11 415 E11 25 2 77 8 297 4 413 E12 22 0 50 3 328 8 411 R12 0 0 7 0 395 6 408 R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 <th>E5</th> <th>19</th> <th>1</th> <th>89</th> <th>4</th> <th>349</th> <th>11</th> <th>473</th> | E5 | 19 | 1 | 89 | 4 | 349 | 11 | 473 |
| E11 25 2 77 8 297 4 413 E12 22 0 50 3 328 8 411 R12 0 0 7 0 395 6 408 R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 | R5 | 0 | 0 | 25 | 0 | 397 | 0 | 422 |
| E12 22 0 50 3 328 8 411 R12 0 0 7 0 395 6 408 R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 | E13 | 32 | 2 | 67 | 9 | 294 | 11 | 415 |
| R12 0 0 7 0 395 6 408 R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 | E11 | 25 | 2 | 77 | 8 | 297 | 4 | 413 |
| R11 0 0 18 1 359 6 384 R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E12 | 22 | 0 | 50 | 3 | 328 | 8 | 411 |
| R13 0 1 13 4 355 1 374 E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 | R12 | 0 | 0 | 7 | 0 | 395 | 6 | 408 |
| E9 18 1 41 0 257 18 335 R9 0 0 9 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 | R11 | 0 | 0 | 18 | 1 | 359 | 6 | 384 |
| R9 0 0 312 5 326 E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 | R13 | 0 | 1 | 13 | 4 | 355 | 1 | 374 |
| E7 21 6 44 1 234 9 315 R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 | E9 | 18 | 1 | 41 | 0 | 257 | 18 | 335 |
| R7 0 3 11 0 297 3 314 E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 | R9 | 0 | 0 | 9 | 0 | 312 | 5 | 326 |
| E1 41 4 45 1 194 13 298 R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 <th>E7</th> <th>21</th> <th>6</th> <th>44</th> <th>1</th> <th>234</th> <th>9</th> <th>315</th> | E7 | 21 | 6 | 44 | 1 | 234 | 9 | 315 |
| R3 0 1 17 0 267 6 291 R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 <th>R7</th> <th>0</th> <th>3</th> <th>11</th> <th>0</th> <th>297</th> <th>3</th> <th>314</th> | R7 | 0 | 3 | 11 | 0 | 297 | 3 | 314 |
| R4 0 1 11 1 273 4 290 R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35< | E1 | 41 | 4 | 45 | 1 | 194 | 13 | 298 |
| R8 0 0 2 0 283 2 287 R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6< | R3 | 0 | 1 | 17 | 0 | 267 | 6 | 291 |
| R15 0 1 10 3 268 4 286 E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 | R4 | 0 | 1 | 11 | 1 | 273 | 4 | 290 |
| E15 20 0 25 7 218 15 285 R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 1 | R8 | 0 | 0 | 2 | 0 | 283 | 2 | 287 |
| R16 0 9 4 0 269 2 284 R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 <t< th=""><th>R15</th><th>0</th><th>1</th><th>10</th><th>3</th><th>268</th><th>4</th><th>286</th></t<> | R15 | 0 | 1 | 10 | 3 | 268 | 4 | 286 |
| R19 0 1 9 3 268 1 282 E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 <t< th=""><th>E15</th><th>20</th><th>0</th><th>25</th><th>7</th><th>218</th><th>15</th><th>285</th></t<> | E15 | 20 | 0 | 25 | 7 | 218 | 15 | 285 |
| E3 20 0 43 3 199 14 279 E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 <t< th=""><th>R16</th><th>0</th><th>9</th><th>4</th><th>0</th><th>269</th><th>2</th><th>284</th></t<> | R16 | 0 | 9 | 4 | 0 | 269 | 2 | 284 |
| E4 26 2 44 0 195 9 276 E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 <t< th=""><th>R19</th><th>0</th><th>1</th><th>9</th><th>3</th><th>268</th><th>1</th><th>282</th></t<> | R19 | 0 | 1 | 9 | 3 | 268 | 1 | 282 |
| E16 22 12 16 1 212 10 273 E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 </th <th>E3</th> <th>20</th> <th>0</th> <th>43</th> <th>3</th> <th>199</th> <th>14</th> <th>279</th> | E3 | 20 | 0 | 43 | 3 | 199 | 14 | 279 |
| E8 29 0 29 3 200 11 272 E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0< | E4 | 26 | 2 | 44 | 0 | 195 | 9 | 276 |
| E2 30 1 41 7 183 9 271 E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E16 | 22 | 12 | 16 | 1 | 212 | 10 | 273 |
| E19 17 0 35 4 184 7 247 R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E8 | 29 | 0 | 29 | 3 | 200 | 11 | 272 |
| R14 0 2 6 0 237 1 246 E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E2 | 30 | 1 | 41 | 7 | 183 | 9 | 271 |
| E17 19 4 33 1 179 7 243 R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E19 | 17 | 0 | 35 | 4 | 184 | 7 | 247 |
| R1 0 5 11 1 221 4 242 R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | R14 | 0 | 2 | 6 | 0 | 237 | 1 | 246 |
| R2 0 1 8 1 223 4 237 E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E17 | 19 | 4 | 33 | 1 | 179 | 7 | 243 |
| E14 20 1 27 3 174 7 232 R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | R1 | 0 | 5 | 11 | 1 | 221 | 4 | 242 |
| R17 0 2 6 0 204 2 214 R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | R2 | 0 | 1 | 8 | 1 | 223 | 4 | 237 |
| R22 0 2 3 0 199 3 207 E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E14 | 20 | 1 | 27 | 3 | 174 | 7 | 232 |
| E20 24 2 14 4 156 4 204 L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | R17 | 0 | 2 | 6 | 0 | 204 | 2 | 214 |
| L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | R22 | 0 | 2 | 3 | 0 | 199 | 3 | 207 |
| L5 45 1 26 1 114 6 193 R20 0 1 1 0 189 0 191 | E20 | 24 | 2 | 14 | 4 | 156 | 4 | 204 |
| R20 0 1 1 0 189 0 191 | | 45 | 1 | 26 | 1 | | 6 | |
| | R20 | 0 | 1 | | 0 | 189 | 0 | 191 |
| E22 15 7 8 2 146 7 185 | | 15 | 7 | 8 | 2 | | 7 | 185 |
| L13 58 0 38 4 78 7 185 | L13 | | 0 | 38 | 4 | 78 | 7 | 185 |

| | ALARMS | CIP | FIRE | HAZMAT | MEDICAL | OTHERS | TOTAL |
|-----------|--------|-----|------------|--------|---------|--------|--------|
| L13 | 58 | 0 | 38 | 4 | 78 | 7 | 185 |
| Q178 | 0 | 0 | 49 | 8 | 126 | 0 | 183 |
| L1 | 78 | 9 | 18 | 2 | 47 | 15 | 169 |
| R18 | 0 | 0 | 4 | 0 | 160 | 2 | 166 |
| E21 | 20 | 0 | 14 | 3 | 116 | 6 | 159 |
| R21 | 0 | 0 | 4 | 0 | 154 | 0 | 158 |
| E18 | 9 | 1 | 13 | 1 | 125 | 4 | 153 |
| L9 | 47 | 2 | 18 | 2 | 77 | 6 | 152 |
| S2 | 0 | 0 | 5 1 | 4 | 59 | 30 | 144 |
| E10 | 3 | 11 | 15 | 3 | 103 | 6 | 141 |
| L7 | 26 | 13 | 21 | 0 | 71 | 4 | 135 |
| R6 | 0 | 0 | 6 | 0 | 123 | 2 | 131 |
| \$3 | 0 | 1 | 58 | 25 | 40 | 1 | 125 |
| B1 | 29 | 0 | 58 | 5 | 18 | 9 | 119 |
| B2 | 34 | 1 | 58 | 3 | 12 | 8 | 116 |
| E6 | 9 | 0 | 16 | 0 | 72 | 4 | 101 |
| L17 | 29 | 2 | 15 | 0 | 42 | 9 | 97 |
| ВЗ | 20 | 1 | 48 | 7 | 10 | 2 | 88 |
| L20 | 26 | 2 | 7 | 1 | 46 | 3 | 85 |
| \$1 | 1 | 2 | 25 | 13 | 23 | 0 | 64 |
| L21 | 25 | 0 | 7 | 0 | 25 | 4 | 61 |
| B4 | 19 | 0 | 19 | 2 | 9 | 4 | 53 |
| Total | 899 | 121 | 1,490 | 159 | 11,055 | 682 | 14,406 |
| | | | | | | - | / |



R22 1,272

L5 1,221

E22 1,173

E20 1,130

L13 1,099

R20

Q178

E21

R21

1,106

1,062

986

977

917

826

801 R6

S2 774 S3 773

B1 741

E6 738

B2 725

L7 716

523

450

446

383 359

272 **B4**

TOTAL 80,967

L17

B3

L20

S1

L21

E10 948 E18 933

R18 925

L1

YEAR TO DATE UNIT RESPONSES E5 2,890 E12 2,548 R5 2,529 R12 2,458 E13 2,446 2,419 E11 R11 2,315 R13 2,134 1,867 E3 1,861 1,861 E4 1,855 R7 1,734 E7 1,717 E15 1,714 1,707 E16 1,706 R16 1,671 R15 1,669 R3 1,628 1,609 **E8** 1,586 E19 1,572 1,526 **R8** R19 1,523 R14 1,518 E2 1,516 E17 1,460 E14 1,434 1,427 R1 1,419 R17 R2 1,372

PARTNERING DEPARTMENT/AGENCY RESPONSES

911 calls that do not require AFR services are dispatched to the following agencies in an effort to send the appropriate resources to each call for better patient care and ensure AFR crews are available for true emergency responses.

| AGENCY | JUNE | YTD |
|-----------------------|-------|--------|
| ABQ COMMUNITY SAFETY | 1,474 | 7,309 |
| CITY SECURITY | 38 | 400 |
| ABQ AMBULANCE SERVICE | 1,063 | 6,510 |
| TOTAL | 2,575 | 14,210 |

AFR UNITS ABOVE 110% CFAI THRESHOLD


The Commission on Fire Accreditation International (CFAI) identifies 3,850 annual calls for a single fire apparatus as the 110% threshold value and indicates immediate need for additional resource support.

| | 2021 | 2022 YTD | | |
|-----|-------|----------|-----|--|
| E5 | 5,571 | N/A | N/A | |
| R5 | 5,084 | | | |
| E12 | 4,844 | | | |
| E11 | 4,653 | | | |
| R12 | 4,605 | | | |
| R11 | 4,503 | | | |
| E13 | 4,491 | | | |
| R13 | 4,236 | | | |



ALBUQUERQUE FIRE RESCUE CITY COUNCILOR DISTRICTS

JUNE **2022**



AFR STATIONS BY COUNCILOR DISTRICT

| CITY COUNCIL DISTRICT FIRE STATION DISTRICTS | JUNE | YTD |
|--|-------|--------|
| 1. LOUIE SANCHEZ STATIONS 7,14,17,18,22 | 944 | 5,235 |
| 2. ISAAC BENTON PRESIDENT STATIONS 1,2,3,4,6,7,10,13 | 1,597 | 9,399 |
| 3. KLARISSA J PEÑA STATIONS 7,14 | 334 | 2,045 |
| 4. BROOK BASSAN STATIONS 6,15,19,20 | 733 | 4,208 |
| 5. DAN LEWIS VICE PRESIDENT STATIONS 18,21,22 | 812 | 4,852 |
| 6. PAT DAVIS STATIONS 2,3,5,11,12 | 1,893 | 11,049 |
| 7. TAMMY FIEBELKORN STATIONS 5,6,9,13,15,16,19 | 1,606 | 9,314 |
| 8. TRUDY E JONES STATIONS 8,9,15,16 | 496 | 2,792 |
| 9. RENEE GROUT STATIONS 8,9,12 | 1,099 | 6,209 |
| TOTAL | 9,514 | 55,103 |



ALBUQUERQUE FIRE RESCUE SIGNIFICANT ALERT EVENTS

JUNE **2022**

These events are activated by the AFR Dispatch Center as a "Significant Event" based on specific criteria and emailed to media and specific AFR members but does not include all responses by AFR to emergency calls.


- 6/4 Residential Fire: AFR crews were dispatched to 3314 Shepard PI NE in fire district 19 at approximately 10:30 a.m. for reports of a structure fire. Engine 19 was first on scene and took command of a working fire and secured a water supply. Engine 13 took a 1 3/4" line in for fire attack. It appears the fire started on or near the stove, the kitchen was fully involved. Ladder 13 did a primary search and an all clear was declared at 10:39. E13 had the fire under control at 10:39 a.m. There were no occupants in the house at the time of the fire.
- 6/6 MVA: AFR crews were dispatched to a 1st alarm EMS incident located at Avenida Cesar Chavez and I-25 in fire district 2 for a single vehicle rollover. AFR crews arrived to find the vehicle was also on fire and quickly extinguished it. Two occupants were ejected from the vehicle and transported to UNMH in critical condition.
- 6/8 Residential Fire: AFR was dispatched to 10471 Calle Acanta NW in fire district 22 for a two-story residential structure fire. Engine 21 arrived on scene and reported heavy smoke and flames coming from the garage and initiated fire operations as Rescue 21 conducted a primary search of the home. As additional units began to arrive on scene, interior fire crews were met with heavy fire conditions encountering heavy smoke, extreme heat, and limited visibility. An additional hand line was deployed to assist with fire operations as crews completed a primary search ensuring that all of the occupants were out of the house and safe. Firefighters were able to get the fire under control and conducted thorough ventilation operations to ensure that the fire was fully extinguished. The fire had originated in the garage where one vehicle was located and spread to the driveway, affecting another vehicle. One of the home occupants sustained minor burn injuries to his arm and was evaluated on scene. After firefighters conducted a thorough secondary search of the home, one small dog was found and was declared deceased. The Red Cross was called to assist the family.
- 6/13 Residential Fire: AFR units were dispatched to 1709 Deluvina SW in fire district 7 for reports of a structure fire. Engine 7 was first on scene, followed quickly by Rescue 7. Firefighters discovered a fire in a residential dwelling and were delayed in extinguishing the fire due to recent construction on the home and the addition of a rain roof at the residence. Firefighters cut through layers of the additional construction materials to ensure the fire was completely out. The cause of the fire was unknown. The family was displaced and one occupant was transported to the hospital for smoke inhalation.
- 6/16 Residential Fire: AFR crews were called out to 8205 Tina DR NE in fire district 20 for reports of a structure fire. Engine 15 arrived to find a single-story residential structure with visible smoke and flame emanating from the garage. While simultaneously battling the fire, crews performed a primary search of the structure and were able to successfully rescue two dogs. Crews were able to keep the fire from spreading and contained it to the garage.
- 6/18 Residential Fire: AFR units were dispatched to a structure fire at 201 Utah SE in fire district 5. In a matter of minutes, Rescue 5 arrived to find a single story enclosed abandoned structure with smoke and flame. After a primary searched was completed, AFR units were able to evacuate all the occupants safely.
- 6/20 Residential Fire: AFR was dispatched to 1705 Mesa Vista Rd NE in fire district 3 for a two-story residential structure fire. Upon arrival, fire crews reported smoke showing from the first floor of an abandoned/boarded up building. Crews were able to force entry through the rear of the structure and began fire control and simultaneous search. An all clear of the structure was declared as multiple fire crews were able to successfully make entry into the building and extinguish the fire. The cause of the fire is unknown.
- 6/21 Residential Fire: AFR was dispatched to reports of a residential structure fire at 1817 Illinois St. NE in fire district 13. Crews from station 13 arrived and declared a working fire with heavy fire conditions showing from the front of the structure. Multiple hand lines were placed into service with a simultaneous search of the structure. Due to the heavy fire conditions a portion of the house became significantly compromised and crews exited the house to evaluate conditions. Crews were able to go back into the structure and completely extinguish it.
- 6/26 Residential Fire: AFR crews responded to 437 Kentucky SE in fire district 11 to reports of a fire in a multi-unit apartment complex. Engine 11 arrived first on scene to find heavy flames and smoke showing and began pulling hand lines for fire control. The fire was under control within 5 minutes and a primary all clear was declared soon after. The fire was contained to one apartment and the four adjacent units were saved.

- 1. AFR Rescue 1 is seen staging at KAFB behind Air Force One during President Biden's visit to New Mexico to meet with State officials regarding federal aid in response to the Calf Canyon and Hermits Peak fires.
- 2. AFR and Albuquerque Area Firefighters IAFF Local 244 were honored to host the annual American Lung Association in New Mexico Fight for Air Climb 2022. Nearly \$2k from t-shirt sales was raised for ALA NM and we look forward to future events with this amazing organization.
- 3. AFR is participated again for the Ditch the Ditches 27th year of the "Swim & Play Pass" program offering free swim passes to three of Albuquerque's popular swimming pools and can now be received online after kids pledge to stay out of ditches and arroyos.
- 4. Players from the Albuquerque Isotopes paid a visit to Fire Station 1 to show support for our first responders and to learn more about life as a firefighter while also sharing their own experiences as professional athletes.
- 5. AFR graduated 12 Cadets from the 98th Cadet Class to the rank of Firefighter 2. Some of these firefighters returned to the AFR Training Academy to start the EMT-Basic course and the others who already possess an EMT license have started working in the field.
- 6. The AFR 99th Cadet Class candidates were selected. Eight of those candidates have been chosen for the Fire Service Aide position and will serve in a support role function while learning about AFR operations before they start the Cadet program.













FIRE MARSHAL'S OFFICE

INSPECTIONS DIVISION

- In preparation for this year's 4th of July fireworks sales, FMO inspectors went out to over 80 tents and stores to ensure everything was set up correctly. The inspectors will also revisit each site to verify all life safety equipment is in place and everything is still set up according to their permit.
- Camp Fearless is a collaboration with Albuquerque Fire and Rescue, Albuquerque Police Department (APD), the New Mexico National Guard, the U.S. Attorney's Office, and the Drug Enforcement Agency which hosts NM youth in a leadership camp. The goals of Camp Fearless focus on building positive relationships and self-image, engaging with positive role models, leadership, physical fitness, and team building so participants are equipped with skills to develop successful and healthy lifestyles. FMO was able to send 2 inspectors, 4 times a week for 6 weeks to mentor the campers and 6 inspectors each Thursday along with a field unit to give the campers a day in the life of a firefighter. Thank you to all the field units who participated, the kids really enjoyed all the interactions.

| FMO STATISTICS | JUNE | YTD |
|---------------------------------------|------|-------|
| INSPECTIONS | 589 | 3574 |
| TENT PERMITS | 21 | 57 |
| SPECIAL EVENTS APPROVED | 30 | 100 |
| SPECIAL DISPENSARY PERMITS | 86 | 295 |
| TANK PULLS | 0 | 0 |
| BLASTING STANDBY | 2 | 2 |
| FIREWORKS STANDBY | 2 | 7 |
| MOVIE STANDBY | 2 | 9 |
| FOOD TRUCK INSPECTIONS | 21 | 106 |
| FIRST DUE PRE-INCIDENT PLANS | 32 | 377 |
| # PEOPLE TRAINED IN FIRE EVACUATIONS | 955 | 2,715 |
| # PEOPLE TRAINED IN FIRE EXTINGUISHER | 115 | 1,190 |
| 2+ FALSE ALARM EDUCATION CLASSES | 12 | 54 |
| # PEOPLE TRAINED IN FIRE SAFETY | 335 | 2,232 |
| BALLOON FIESTA MEETINGS | 0 | 0 |
| SMOKE DETECTORS INSTALLED | 6 | 21 |

ADAPT

- ADAPT has 138 properties that have been formally brought into the program, 82 have been cleared from the program and 56 are still in the program at different stages. ADAPT continuously monitors the properties that are in the program to track their compliance with the Nuisance Abatement Agreement.
- There are 108 properties on the Unsafe Buildings list. Six new properties were added to the list this month. The properties are labeled on the First Due application with a white "X" on a red background. In the field these properties are marked with a red spray painted "X" and the letters "AFR" under it.
- One property cleared the ADAPT program with an average of 72% reduction in crime.
- * 5701 Iliff Rd NW was cleared with a 72% reduction in reported crime.
- Three properties cleared the COP program with an average of 52% reduction in crime.
 - * 2600 Americare Ct NW was cleared with a 36% reduction in reported crime.
 - * 9640 Menaul NE was cleared with an 100% reduction in reported crime.
- * 400 Eubank Blvd NE was cleared with a 20% reduction in reported crime.

| ADAPT PROPERTIES | JUNE | YTD | CRIME ONLY PROPERTIES | JUNE | YTD |
|--|------|-----|--|------|-----|
| PROPERTIES IN ADAPT | 39 | 54 | PROPERTIES IN COP | 24 | 38 |
| PROPERTIES ADDED | 1 | 15 | PROPERTIES ADDED | 0 | 1 |
| PROPERTIES COMPLETING PROGRAM | 1 | 15 | PROPERTIES COMPLETING PROGRAM | 3 | 14 |
| AVERAGE % OF CRIME REDUCTION FOR PROPERTIES COMPLETING THE PROGRAM | 72% | 67% | AVERAGE % OF CRIME REDUCTION FOR PROPERTIES COMPLETING THE PROGRAM | 52% | 54% |

Lifesaver and Stop the Bleed Kits

- · Kits in service
 - * 30 vehicle Kits to Solid Waste
 - * 32 vehicle Kits to Transit
- Kits still to be deployed
 - * 30 vehicle Kits will be provided to Parks and Rec
 - * 1 Bleeding Control Station will be installed at East Central Health and Social Services

FY 2023 State Homeland Security Grant Program

- Completed grant application for Small Unmanned Aircraft Systems (sUAS) Program.
- 4 frontline drones featuring TIC camera, searchlight, strobe light, 2lb payload capacity, 8K video, 48mp camera.
- 4 Training Nano Drones
- Training and Certification

PLANS CHECKING

- The Plans Checking division started pre-permit review meetings for three upcoming projects in the Sawmill district adjacent to Hotel Chaco. The projects will include one hotel and two multi-use buildings to include retail on the ground floor and apartments above.
- Plans Checking reviewed and approved plans for a Fire Alarm and Sprinkler system upgrade at the 30,000 sq ft CACI building located at 7601 Los Volcanoes Rd NW. CACI passed their Fire Final inspection.

| PLANS CHECKING STATISTICS | JUNE | YTD |
|------------------------------|------|-------|
| TOTAL INSPECTIONS | 103 | 577 |
| TOTAL PLANS REVIEWED | 286 | 1,544 |



FIRE INVESTIGATIONS DIVISION

- The month of June was another busy month for the Fire Investigations Division.
 Captain Martinez and Captain Ramirez continue to train and work together to ensure a smooth transition. Fire Investigators completed their annual firearms training and qualifications, which were coordinated by Lieutenant Jaramillo.
- As we anticipate several vacancies within the division, interviews for an upcoming Law Enforcement Academy were conducted and completed.
 Lieutenant Freddy Sanchez is nearing the completion of the APD testing process and will begin the Law Enforcement Academy in August.
- The Fire Investigations Division is seeking to develop a partnership with CNM staff and their Law Enforcement Academy. Another goal is to expand awareness to our members of the Fire Investigations Division during the upcoming September Lieutenant Certification Course and future certification courses, and cadet classes.

| FIRE INVESTIGATIONS | JUNE | YTD |
|---|------------------------------|---------------------------------|
| COMPLETED INVESTIGATIONS | 8 | 58 |
| NATURAL | 0 | 1 |
| ACCIDENTAL | 0 | 4 |
| UNDETERMINED | 4 | 24 |
| INCENDIARY | 4 | 29 |
| Exceptionally Cleared (CLE) Youth fire set Bosque Vacant/Abandoned property Injuries Fatalities | 1 (.03%) 0 0 0 0 | 0 (0%) 0 2 5 6 2 |

COMMUNICATIONS AND TECHNICAL SERVICES

ALARM ROOM

- New CAD development continues to progress. Bi-Weekly meetings with Tech Services and County are occurring.
- VESTA Phone system upgrade in progress. Estimated completion is October 2022.
- Updated AAS only calls to include 32B1 and added several call types to AAS Advise.

| AFR EMERGENCY RESPONSE TOTALS YTD | | | | | | | |
|-----------------------------------|---------|---------|---------|---------|---------|--------|-----------|
| | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2021-2022 |
| JAN | 8,629 | 9,011 | 9,100 | 8,706 | 8,390 | 10,517 | +2,127 |
| FEB | 16,485 | 17,312 | 1,7269 | 16,863 | 16,138 | 19,890 | +3,752 |
| MAR | 25,290 | 26,240 | 26,464 | 25,075 | 25,004 | 30,899 | +5,895 |
| APR | 33,793 | 35,265 | 35,667 | 32,428 | 34,321 | 42,344 | +8,023 |
| MAY | 42,681 | 44,749 | 44,805 | 40,660 | 44,095 | 54,467 | +10,372 |
| JUN | 51,648 | 53,769 | 53,997 | 49,200 | 53,955 | 66,047 | +12,092 |
| JULY | 62,389 | 64,617 | 63,257 | 58,336 | 64,131 | | |
| AUG | 71,529 | 73,994 | 72,044 | 67,261 | 74,338 | | |
| SEPT | 80,353 | 83,117 | 80,560 | 75,510 | 84,268 | | |
| ОСТ | 89,372 | 92,273 | 89,024 | 84,327 | 94,345 | | |
| NOV | 97,862 | 100,894 | 96,958 | 92,827 | 104,576 | | |
| DEC | 106,914 | 109,816 | 105,526 | 101,482 | 115,118 | | |

| INCOMING CALL CATEGORY | JUNE | YTD |
|--|--------|---------|
| EMERGENCY | 9,896 | 58,955 |
| NON-EMERGENCY (INCOMING & OUTGOING) | 8,035 | 46,747 |
| TOTAL PHONE CALLS PROCESSED | 17,931 | 105,702 |
| DISPATCHED CALLS | 11,580 | 66,044 |

The difference between calls processed and dispatched calls can be attributed to calls assigned to other agencies such as BCFD, Rio Rancho, APD ACS, poison control, etc. or duplicate calls such as; Multiple callers reporting the same incident, calls from APD dispatcher, calls from AAS dispatchers field personnel calling Alarm Room and calls that are redirected to other agencies (County, Rio Rancho, APD, ACS, poison control etc.)

TECH SERVICES DIVISION

- · Continuing work on Premiere One CAD.
- Ongoing calls on the Vesta Phone Upgrade in the Alarm Room.
- · Lumen/Vesta equipment install starting.
- · Dell tough books arriving.

| TECH SERVICES REQUESTS | JUNE | YTD |
|-------------------------|------|-----|
| TICKETS CREATED | 35 | 135 |
| TICKETS CURRENTLY OPEN | 8 | N/A |
| TICKETS CLOSED/RESOLVED | 28 | 278 |

HUMAN RESOURCES AND TRAINING

TRAINING ACADEMY

SUPPRESSION DIVISION

98th Cadet Class

- June begins with an intense week of training, live burns, and state test out.
- NMFTA FF I/II exam and skills evaluations begin the week with 100% pass rate on skills with one Cadet needing exam retest scheduled for July 8.
- Field Transition Night (FTN) has come to be one of the highlights of the program featuring multiple live fire evolutions, EMS call scenarios, vehicle extrications, and station life orientation.
- The week continues with Night Burns featuring live burns in the AFR burn room.
- Finally, the week concludes with Family Night which is an opportunity for families, cadets, and instructional cadre to come together to share a meal and enjoy a series of live propane burns on the AFR drill field props.
- A special "Thank You!" to IAFF Local 244 for hosting the 98th Cadet Class Banquet June 16.
- 7 Firefighters graduate Friday June 17 and report for duty June 18
- 4 Firefighters remain at the Training Academy for an accelerated 6-week EMT B course with 1 remaining to retest the NMFTA FF I/II exam.
- 97th Cadet Class 2nd Quarterly evaluations continue June 13, 14, 21, 22.

Professional Development

- Fire Instructor I- 14 Members
- Fire Officer II 6 Members
- Driver Cert course 15 Members
- · Instructed the BC and Captain cert testing from the month of May
 - * BC cert test: 8 Members * Captain cert test: 6 Members

EMERGENCY SERVICES

SAFETY OFFICE

FIRE FIGHTER INJURIES JUNE / YTD

| NATURE | # | NON EMERGENCY | EMERGENCY RESPONSE | FIRE SCENE | TRAINING |
|---------------------------|--------|------------------|-----------------------|------------|----------|
| BURN | 1/2 | | | 1/2 | |
| CUT | 0/4 | | 0/1 | 0/3 | |
| LACERATION | | | | | |
| SCRATCH/ | 0/1 | | 0/1 | | |
| ABRASION | | | | | |
| HEARING LOSS | 0/1 | | | 0/1 | |
| ILLNESS- OTHER | 0/3 | | 0/1 | | 0/2 |
| ILLNESS- OTHER (COVID) | 37/245 | 25/245 | | | |
| PUNCTURE | 0/2 | | | 0/2 | |
| INHALATION | 0/1 | | | 0/1 | |
| STRAIN/SPRAIN | 7/24 | 3/8 | 1/4 | 1/5 | 2/7 |
| TOTAL | 45/283 | 28/253 | 1/7 | 2/14 | 2/9 |

| SAFETY OFFICE STATS | JUNE | YTD |
|----------------------|------|-----|
| BLOOD DRAWS | 66 | 561 |
| PHYSICALS COMPLETE | 80 | 455 |
| PHYSICAL RESCHEDULES | 24 | 124 |
| NO-SHOWS | 3 | 26 |
| INJURIES REPORTED | 45 | 283 |
| VEHICLE ACCIDENTS | 5 | 28 |

RECORDS MANAGEMENT

- Monthly Training: Documentation of Fire Alarms
- Concluded the interview/selection process for the new Billing Specialist for the AFR.
- Working with ImageTrend to initiate AFR's InstaMed Account to provide access to claims, remittance, explanation of benefits (EOB's) and payment information to improve overall finical performance involving EMS billing.
- Participated in a webinar and product demonstration for ImageTrend Continuum.
 A new product that AFR is considering purchasing to enhance the Departments ability to visualize, understand and make impactful decisions with the data it is producing.
- Worked with the office of Metropolitan Redevelopment providing numbers for Down Town Albuquerque key performance indicators.
- Ensured all of AFR's NFIRS reports were completed and uploaded to the national database with validation at 100% to secure AFR's eligibility for the New Mexico Fire Protection Grant cycle for FY23.
- · Assisted with the roll out of the new Lifepak 15s for all Engines and Rescues.
- Provided support fill in for in for frontline units.
- · Assisted BCFD set up their EMS billing processes and CQI questions and forms
- Continued conducting RMS station visits educating crew on available resources, how to mitigate common issues with ImageTrend, answering questions, receiving suggestions for improvements and talking about current projects the division is working on.
- Continued to track data revolving around hospital drop time averages, means and 90% to assess the impact on the EMS System.
- Continued to assist with tracking and analyzing data revolving around the Cerebral Oximetry research study AFR is participating in.
- Provided data revolving around Patient's eligibility to be transported to the CARE Campus. This could potentially provide more appropriate destinations for a specific patient population as well as potentially alleviate some of the burden to area hospitals.
- Continuing to trend data revolving around AFR Transports my unit and EMD monthly and YTD.
- Continuing to trend data revolving around Naloxone Administration, Overdoses, and EMS death response.
- · Completing Monthly RMS Statistics.
- Completing Monthly QI/QA Metrics.
- Contributing AFR's monthly data to the New Mexico Systems of Care STEMI Program.
- Contributing AFR's monthly data for the system wide Stroke Program.
- Contributing AFR's monthly NFIRS response data to the State.
- Contributing AFR's monthly response data to NMSTARS.
- Contributing AFR's monthly response to Fire Cares.

HEART

- In the month of May, HEART provided 81 rides with its "Rides with HEART" rideshare service.
- The HEART Home Modification Program provided 30 home modification installation services. These home installations included grab bar installations and ramp building in order to prevent falls.
- HEART received and processed 58 referrals for service. The patients were processed and moved into one of our many programs.
- In a partnership with the Office of Substance Abuse Prevention HEART provided all AFR Stations with "Leave Behind Narcan Kits" to provide to community members in need.
- HEART BEATS had their 1year anniversary!
- To date, the HEART BEATS stroke discharge program has received over 216
 referrals for service. HEART is currently working with 78 patients in the program.
 Two more staff members are currently undergoing training to expand the
 HEART BEATS program and are close to being able to perform assessment as
 a separate team.
- Be Brave Fall Prevention Classes taught at Barelas Senior Center and North Valley Senior Center (pictured below).
- HEART hosted and taught Community Health Worker certification class. Thirteen students in total. Combined of AFR, AMR and Sandoval County.
- Completed Fentanyl Test Strip Usage Training given by the DOH.
- In the process of creating a Fentanyl Program that will provide the community
 the ability to test their personal street drugs and discern if it is cross
 contaminated with Fentanyl. This would lesson the chance of an accidental
 overdose as the user would be aware of the potency of their substance prior to
 use.
- Provided medical monitoring at the John Marshall Building for refugees of the local wildfires when they stop by to receive social services and donations.
- Provided support fill for frontline units.



PHARMACY

- LP15 rollout almost complete. We have the Academy's LP15 to exchange and we will be done.
- Waiting to hear on the NEW AED's locations. We have 44 new AED's in the Pharmacy.
- CSOS cert expired and working on a new certification to order our controlled substances. (Web based ordering system)
- Finished the new PO request for the new fiscal year.
- Ordering Aura Gain devices for possible delivery to stations starting soon.
- Acquired paperwork for the ordering of Cyanokits.
- Placed an order for replacement Stryker gurney batteries.
- Preparing Medic 5 to go into service.

QA 78

 The EMS Division provided APD with requested training as APD is actively building their TEMS team. Lieutenant Breen, Driver Duran, and 78 provided training on the LUCAS as well as the basics of CPR.



SPECIAL OPERATIONS

HAZMAT

- Attended a meeting with the State to plan a simulated real-world hazmat/terrorist emergency. This meeting included APD. This exercise is in the planning stages and have not set a date yet.
- Received new personal radiation devices (PRD) called Accurad. These monitors were bought from the WIPP grant. (https://www.youtube.com/ watch?v=b1J9VFA17o4)
- Continued training with Station 13, and 17.

WILDLAND

- For the month of June, the Wildland Division has responded to multiple vegetation fires. We are experiencing an increase in large wildfires, such as the 66 Fire near Carnuel, in the Metro area. The moisture that we received this month did little to prevent wildfires.
- The Division has been working diligently, in preparation for the July 4th holiday. Wildland apparatus will be patrolling during the holiday weekend. We are anticipating a busy weekend, due in part to lack of precipitation, and the illegal use of aerial fireworks.
- The Rapid Extrication Module (REM) has returned home from the Hermit's Peak / Calf Canyon Fire. The REM was on assignment for a total of 70 days. The team received stellar reviews from both incidents, and is glad to be home.



HEAVY TECHNICAL RESCUE

- Albuquerque Fire's Crews and Heavy Technical Rescue members have been busy this month working complicated and specialized rescues. Vehicle extrications are occurring frequently and are requiring advanced techniques and disassembly. Also new materials are proving difficult for our old extrication tools. Remember to keep think about which units have the "E-tools" to ensure we can dismantle these vehicles in a timely manner to get the citizens in need to the hospital ASAP.
- June has generated multiple confined space rescues. Our crews had to
 recognize and manage the risks associated with these. It is important to
 always consider the atmosphere of the confined spaces we enter and monitor
 throughout our operation. Ensure our Confined Space Rescue technicians
 are on all storm drain, vaults, or any other space that could be considered a
 confined space. 2 of 3 people that die in confined spaces are would be rescuers.
 Lets ensure that is never us.







STAFFING

• 8 Firefighters were sent to the field to start participating in emergency response after graduating from the AFR Cadet Firefighting Training Academy.

SPECIAL EVENTS

• AFR provided EMS and Fire Marshal's Office support for the City of Albuquerque's Height's Summerfest on Saturday, June 11. The event showcased local bands opening for a New Orleans-style Jazz band that headlined the concert. Albuquerque Fire Rescue was there to ensure that the 10,000+ participants could enjoy the outdoor concert experience safely under the watchful eyes of members from Fire Station 20. Crews rendered first aid for several attendees and were instrumental in reuniting a lost child with his parents. This was a collaboration with the city's Arts and Culture Department. AFR will be assisting in similar fashion for the COA Arts and Culture's 3 remaining summer events in several locations throughout the city as the summer continues. You will find AFR at the Route 66 Summerfest on July 23, Downtown Summerfest on August 6, and the Westside Summerfest on August 20.

PLANNING & LOGISTICS

FISCAL

- FY22 close outs and FY23 preparations
- New Payroll assistant- Raquel Sandoval
- Working on annual asset inventory
- Starting year end processes

FLEET

| FLEET CHECK IT | JUNE | YTD |
|----------------------------------|------|-------|
| TICKETS CREATED | 196 | 1,039 |
| ALL TICKETS CURRENTLY OPEN | 118 | 300 |
| TICKETS CLOSED/RESOLVED | 82 | 739 |
| FLEET ASSET WORKS | | |
| TOTAL WORK ORDERS | 120 | 605 |
| WORK ORDERS % CLOSED IN 24 HOURS | 45% | 50% |
| CALL-OUTS | 16 | 43 |
| PM's COMPLETED | 46 | 235 |
| SPARED OUT | 3 | 9 |



REM-1 Med-Bed installed.

LOGISTICS

· Annual SCBA flow testing at all stations is complete.


| LOGISTICS STATS | JUNE | YTD |
|----------------------------|------|-----|
| TICKETS CREATED | 158 | 884 |
| ALL TICKETS CURRENTLY OPEN | 26 | N/A |
| TICKETS CLOSED/RESOLVED | 132 | 758 |
| FLASH HOODS LAUNDERED | 120 | 391 |
| TURNOUT GEAR LAUNDERED | 60 | 206 |
| WILDLAND GEAR LAUNDERED | 8 | 41 |

CIP

- Fire Station 5 construction including:
 - * New Medic 5 quarters
- * Additional Bunk for L5 4th firefighter * Conference room moved
- * Station office moved

| CIP STATS | JUNE | YTD |
|----------------------------|------|-----|
| TICKETS CREATED | 93 | 504 |
| ALL TICKETS CURRENTLY OPEN | 41 | 93 |
| TICKETS CLOSED/RESOLVED | 52 | 436 |

FIRE CHIEF GENE L. GALLEGOS



Learn more about a career with Albuquerque Fire Rescue!



Follow us!

- @abqfire
- abqfirerescue
- abqfirerescue
- @ABQFireRescue
- **in** Albuquerque Fire Rescue
- Albuquerque Fire Rescue

cabq.gov/fire

