

**ONE**  
**ALB**  
**UQU**  
**ER**  
**QU**

# City by City Comparison

	<b>ABQ Metro</b> (Bernalillo)	<b>Denver</b> (Denver)	<b>Tucson</b> (Pima)	<b>Austin</b> (Travis)	<b>Phoenix</b> (Maricopa)	<b>Salt Lake</b> (Salt Lake City)	<b>El Paso</b> (El Paso)	<b>Oklahoma City</b> (Oklahoma)	<b>Los Angeles</b> (Los Angeles)
<b>Total county population</b>	<b>677,692</b>	<b>693,417</b>	<b>1,019,722</b>	<b>1,203,166</b>	<b>4,253,913</b>	<b>1,120,805</b>	<b>837,654</b>	<b>655,057</b>	<b>10,098,052</b>
<b>Confirmed COVID-19 cases to date</b> (per 100K people)	<b>7,192</b>	<b>7,615</b>	<b>9,575</b>	<b>5,339</b>	<b>10,386</b>	<b>11,126</b>	<b>13,423</b>	<b>9,319</b>	<b>11,004</b>
<b>Total Tested</b> (per 100K people)	<b>2,328</b>	<b>4,514</b>	<b>3,223</b>	<b>1,434</b>	<b>3,533</b>	<b>4,055</b>	<b>1,472</b>	<b>1,076</b>	<b>3,960</b>
<b>COVID-19 deaths</b> (per 100K people)	<b>6</b>	<b>2</b>	<b>16</b>	<b>4</b>	<b>13</b>	<b>2</b>	<b>9</b>	<b>6</b>	<b>15</b>
<b>% of new tests positive</b> (7 Day Average)	<b>5.3%</b>	<b>3.3%</b>	<b>15.2%</b>	<b>9.2%</b>	<b>15.6%</b>	<b>11.3%</b>	<b>8.8%</b>	<b>13.4%</b>	<b>11.9%</b>

Data collected Jan. 30, 2021

# Week-by-Week Comparison of Gating Criteria

14 Day Average

<b>ABQ (Bernalillo County)</b>	<b>Official DOH Status as of 01/13/21</b>	<b>Official DOH Status as of 01/25/21</b>	<b>Unofficial Status* as of 02/02/21</b>	<b>Criteria to Move to Yellow</b>
<b>Positive Cases per 100,000</b>	<b>51.5 cases</b>	<b>32.7 cases</b>	<b>30.5 cases</b>	<b>8 cases</b>
<b>Test Positivity Rate</b>	<b>10.5%</b>	<b>6.7%</b>	<b>4.7%</b>	<b>5% or less</b>

\*Data from COA ENH Department

# Individuals Partially or Fully Vaccinated

Bernalillo County and NM

<b>Date</b>	<b>Individuals in Bernalillo County</b>	<b>% Individuals in Bernalillo County</b>	<b>Individuals in NM</b>	<b>% Individuals in NM</b>
<b>01/31/21</b>	<b>105,652</b>	<b>15.6%</b>	<b>213,627</b>	<b>10.2%</b>


Data from NM DOH

Type and level of group activity	Low occupancy			High occupancy		
	Outdoors and well ventilated	Indoors and well ventilated	Poorly ventilated	Outdoors and well ventilated	Indoors and well ventilated	Poorly ventilated
<b>Wearing face coverings, contact for short time</b>						
Silent	Low	Low	Low	Low	Low	Medium
Speaking	Low	Low	Low	Low	Low	Medium
Shouting, singing	Low	Low	Medium	Medium	Medium	High
<b>Wearing face coverings, contact for prolonged time</b>						
Silent	Low	Low	Medium	Low	Medium	High
Speaking	Low	Low*	Medium	Medium*	Medium	High
Shouting, singing	Low	Medium	High	Medium	High	High
<b>No face coverings, contact for short time</b>						
Silent	Low	Low	Medium	Medium	Medium	High
Speaking	Low	Medium	Medium	Medium	High	High
Shouting, singing	Medium	Medium	High	High	High	High
<b>No face coverings, contact for prolonged time</b>						
Silent	Low	Medium	High	Medium	High	High
Speaking	Medium	Medium	High	High	High	High
Shouting, singing	Medium	High	High	High	High	High

**Risk of transmission**

Low ■ Medium ■ High ■

\* Borderline case that is highly dependent on quantitative definitions of distancing, number of individuals, and time of exposure



**ONE**  
**ALB**  
**UQU**  
**ER**  
**ME**