


The Albuquerque Police Department Crisis Intervention Unit Data Book: A Working Compendium



Version Date: June 15, 2018

**Dr. Peter Winograd, Policy Analyst, CIU, APD
pwinograd@cabq.gov**

**Kylynn Brown, Data Analyst, CIU, APD
kylynnbrown@cabq.gov**

Background

In 2014, the City Of Albuquerque and the U.S. Department of Justice entered into an agreement often referred to as the CASA (Court Appointed Settlement Agreement) which identified a number of actions to be completed by the Albuquerque Police Department (APD).

The CASA paragraphs #129 and #137 direct APD to collect data on the use of crisis intervention certified responders for management purposes and to demonstrate the impact of and inform modifications to crisis prevention services. These data include:

- date, shift, and area command of the incident;
- subject's age, race/ethnicity, and gender;
- whether the subject was armed and the type of weapon;
- whether the subject claims to be a U.S. military veteran;
- name and badge number of crisis intervention certified responder or CIU detective on the scene;
- whether a supervisor responded to the scene;
- techniques or equipment used;
- any injuries to officers, subjects, or others;
- disposition of the encounter (e.g., arrest, citation, referral); and
- a brief narrative of the event (if not included in any other document).
- number of individuals in the COAST and CIU case loads;
- number of individuals receiving crisis prevention services

CASA paragraph #130 also directs APD to use these data to continually improve police training; practices and policies; and to identify systemic issues that impede the Department's ability to provide an appropriate response to individuals experiencing a mental health crisis.

The APD Crisis Intervention Unit Data Book is one way APD provides information about these data and our efforts to use this information to continually strengthen our ability to protect and serve our community.

Data Definitions

- 1. Throughout this report we refer to behavioral health related computer aided dispatch (CAD) incidents and police reports. Computer Aided Dispatches are 911 calls that are categorized as suicide or behavioral health in CAD descriptions. If CAD calls turn into incidents that required police reports, these reports may be categorized as suicide, behavioral health, mental commit, mental patient, or psychiatric evaluation depending on which record system is used and what year the report was filed.**
- 2. The data come from Tiburon and other dynamic data bases and are continually updated as reports are completed and revised.**
- 3. We fully understand that our data is based on behavioral health related incidents which are known to be behavioral health related by law enforcement at the time of occurrence. There are probably many incidents which are classified in other ways which have a behavioral health components and are missed in our analyses.**
- 4. We are committed to improving our data collection and analyses and we have made some important strides so far. But clearly, complete and accurate data in law enforcement is a journey rather than a destination.**

The Albuquerque Police Department's Crisis Intervention Team

A Report Card

By DEBORAH L. BOWER, M.S., M.A., and W. GENE PETTIT



"The intervention by CIT-trained officers in crisis situations is directly responsible for the decrease in police shootings. This has saved the lives of both citizens and police officers."

—Albuquerque Police Chief
Gerry Galvin

Like most large metropolitan police departments, the Albuquerque, New Mexico, Police Department (APD) faces the challenge of finding the most effective way to deal with individuals in crisis. These individuals often demonstrate inadequate coping with stressful life events by endangering themselves or others and may be at serious risk of injury or death. They may compound their problems with alcohol or other drugs, have a mental illness, or intend to die at the

hands of police (victim-precipitated homicide or suicide by cop). Unwittingly, individuals in crisis may behave in ways that can result in a police shooting. Research on these incidents reveals five key factors associated with fatal police shootings: 1) commission of a serious criminal offense; 2) use of alcohol or other drugs; 3) presence of a mental disorder or irrational behavior; 4) existence of actions that officers can misinterpret easily, such as pointing a toy gun; and

February 2001 / 1

Source: FBI Law Enforcement Bulletin, February 2001

APD's Crisis Intervention Unit


CIT Data for 1999

	Count	Percentage
Total calls for CIT service	3,257	
Mental illness believed to be a factor	1,878	57.7
Mental illness not believed to be a factor	407	12.5
Mental illness not evaluated	972	29.8
Sex		
Female	1,366	41.9
Male	1,871	57.4
Unspecified	20	.7
Suicide calls		
Attempted	505	15.5
Threatened	948	29.1
Threatened suicide by cop*	9	0.427
Weapons involved	457	14.0
Substance abuse		
Alcohol	890	27.3
Other drugs	554	17.0
Injury to subject		
Prior to police contact	426	13.1
Result of police contact	38	1.2
Subjects transported		
Arrests/protective custody	298	9.1
Mental health facilities	1,391	42.7
Admission to mental health facilities**	398	12.2

*Data from May-December 1999, (total equals 2,105)

**Underestimate, officers leave facility prior to admission


The Number Of Behavioral Health Related CAD Calls By Year




The Number Of Behavioral Health Related CAD Calls By Area Command And Year




The Percent Change From 2014 In Number Of Behavioral Health Related Calls By Area Command And Year




APD Conducted Detailed Analysis On 5,616 Behavioral Health Related Police Reports From 2016 To 2017



The Number Of Behavioral Health Related CAD Calls By Area Command By Shift From January 2016 To December 2017




The Age And Gender Of Individuals In Behavioral Health Related Police Reports January 2016 To December 2017




The Race/Ethnicity And Gender Of Individuals In Behavioral Health Related Police Reports January 2016 To December 2018

Race/Ethnicity	Gender	Hispanic	Not Hispanic	Unknown
Asian	Female		15	4
	Male		10	2
Black	Female	3	85	34
	Male	7	129	55
	Unkno..		1	
Native American	Female	15	87	44
	Male	15	130	75
Pacific Islander	Female		3	3
	Male	1	4	3
Unknown	Female	67	32	311
	Male	78	59	383
White	Female	658	692	416
	Male	897	846	452


Was The Subject Armed In The Behavioral Health Related Police Reports? January 2016 To December 2017




If The Subject Was Armed, What Type Of Weapon Was Used? January 2016 To December 2017



Did The Subject Claim To Be A Veteran? January 2016 To December 2017




Disposition Data For Individuals Involved In 10,577 CIT-Related Incidents January 1, 2017 To June 15, 2018




Data in this chart was compiled from all behavioral health and suicide calls that came into dispatch and compared to reports that were filed from those calls to determine the final outcome. No law enforcement action needed are calls in which officers responded but did not take any report. Some individuals may have been involved in multiple incidents.

Disposition Data For Individuals Involved In 10,577 CIT-Related Incidents By Month From January 2017 To May 2018



Data in this chart was compiled from all behavioral health and suicide calls that came into dispatch and compared to reports that were filed from those calls to determine the final outcome. No law enforcement action needed are calls in which officers responded but did not take any report. Some individuals may have been involved in multiple incidents.

Disposition Data For Individuals Involved In 10,577 CIT-Related Incidents By Percentage By Month From January 2017 To May 2018




Data in this chart was compiled from all behavioral health and suicide calls that came into dispatch and compared to reports that were filed from those calls to determine the final outcome. No law enforcement action needed are calls in which officers responded but did not take any report. Some individuals may have been involved in multiple incidents.


How Can We Think Smarter About Helping The People Involved in Behavioral Health-Related Encounters With Law Enforcement?

- **How Do We Gather Critical Information On The Large Number Of Behavioral Health-Related Encounters Most Effectively?**
- **How Can We Evaluate The Urgent Needs Of Individuals Experiencing A Behavioral Health Crisis So That Appropriate Levels Of Intervention Can Be Deployed Effectively?**


Over 3,000 CIT Worksheets Were Completed By APD Field Officers Between November 2, 2017 and April 28, 2018



CIT Worksheets Completed By APD Field Officers By Beat Between November 2, 2017 and April 28, 2018



Did An ECIT Officer Show Up On The Scene?




Source: CIT Worksheets Completed By Field Officers Between November 2, 2017 and April 28, 2018

The APD CIT Worksheet Includes The Following Question And Possible Answers

Self-Described Mental Illness

- ADHD
- Anxiety Disorder
- Autism
- Bipolar
- Brain Injury
- Depression
- Intellectual Disability
- Other (Describe in “Notes” Below)
- PTSD
- Schizophrenia (Schizoaffective)

How Do We Make Useful Sense Of The Responses?




The APD CIT Worksheet Includes The Following Question And Possible Answers


Substance Used

- Cocaine
- Crack
- Heroin
- LSD
- Marijuana
- Medication (Prescription Drugs)
- Meth
- Opium
- Other Depressants
- Other Narcotics
- Other Hallucinogens
- Other Stimulants
- PCP
- Unknown


How Do We Make Useful Sense Of The Responses?



Other Type Of Substance Abuse



How Do We Think Smarter About Risk Factors?




Type Of Risk Recorded By Field Officers

How Do We Think Smarter About Risk Factors? A Hypothetical Analysis

# Encounters	Sex	Substance Use	Self Reported Mental Illnesses	Risk	Subject Armed	Weapons (group)
7	F	METH	Bipolar, Brain Injury, PTSD, Schizophrenia (Schizoaffective)	REQUIRES FOLLOW-UP	Yes	Blunt Object
			Bipolar, Depression, Schizophrenia (Schizoaffective)	THREAT TO HARM OTHERS	Yes	Knife / Cutting Instrument
2	F	HEROIN	Depression	THREAT TO HARM OTHERS	Yes	Firearm
1	M	UNKNOWN	Depression	SUICIDE THREAT	Yes	Firearm
2	M	METH	Schizophrenia (Schizoaffective)	THREAT TO HARM OTHERS	Yes	Firearm
1	F	UNKNOWN	Bipolar, Schizophrenia (Schizoaffective)	REQUIRES FOLLOW-UP	Yes	Knife / Cutting Instrument
26	F	UNKNOWN	Other (Describe in "Notes" below)	SUICIDE THREAT	Yes	Knife / Cutting Instrument
6	F	UNKNOWN	Bipolar, PTSD, Schizophrenia (Schizoaffective)	SUICIDE THREAT	Yes	Knife / Cutting Instrument
1	M	COCAINE, HEROIN, MARIJUANA..	Bipolar, Schizophrenia (Schizoaffective), Other (Describe in "	THREAT TO HARM OTHERS	Yes	Knife / Cutting Instrument
1	F	METH	Depression	NONE	Yes	Knife / Cutting Instrument
1	M	HEROIN	Bipolar, PTSD, Schizophrenia (Schizoaffective)	NONE	Yes	Knife / Cutting Instrument
2	M	HEROIN	Bipolar	SUICIDE THREAT	Yes	Knife / Cutting Instrument
1	M	UNKNOWN	Other (Describe in "Notes" below)	THREAT TO HARM SELF	Yes	Knife / Cutting Instrument
1	F	HEROIN	Bipolar	SUICIDE THREAT	Yes	Knife / Cutting Instrument
2	M	METH, OTHER (CLICK ON OTHE..	Bipolar	SUICIDE THREAT	Yes	Knife / Cutting Instrument
8	M	UNKNOWN	Brain Injury	REQUIRES FOLLOW-UP	Yes	Other
2	M	UNKNOWN	Schizophrenia (Schizoaffective)	SUICIDE ATTEMPT	Yes	Knife / Cutting Instrument
2	M	UNKNOWN	Other (Describe in "Notes" below)	SUICIDE THREAT	Yes	Knife / Cutting Instrument
2	M	METH, OTHER DEPRESSANTS	PTSD	SUICIDE THREAT	Yes	Knife / Cutting Instrument
1	M	UNKNOWN	Schizophrenia (Schizoaffective)	THREAT TO HARM OTHERS	Yes	Other
2	F	METH	Depression	SUICIDE ATTEMPT	Yes	Knife / Cutting Instrument
1	F	HEROIN	PTSD, Schizophrenia (Schizoaffective), Other (Describe in "N..	REQUIRES FOLLOW-UP	Yes	Knife / Cutting Instrument
4	M	UNKNOWN	Depression	THREAT TO HARM SELF	Yes	Knife / Cutting Instrument
2	M	METH	Schizophrenia (Schizoaffective)	SUICIDE THREAT	Yes	Knife / Cutting Instrument
2	M	UNKNOWN	Schizophrenia (Schizoaffective)	THREAT TO HARM OTHERS	Yes	Unarmed
4	M	UNKNOWN	Depression	SUICIDE ATTEMPT	Yes	Knife / Cutting Instrument

What Factors Do We Use To Triage Through Thousands Of Reports And Get The Right Response To The Right Individuals?

How Do We Think Smarter About Contacts With Individuals Who Are Homeless?



Homeless Victims Comprised A High Percentage Of The 75 Murders In Albuquerque In 2017

Mean and deadly streets for homeless people

By Elise Kaplan / Journal Staff Writer
Published: Thursday, December 21st, 2017 at 4:05pm
Updated: Thursday, December 21st, 2017 at 11:25pm



Patrick Williams holds a candle as the names of homeless people who died in 2017 are read during the Albuquerque Homeless Persons Memorial Vigil at The Rock at NoonDay on Thursday. Williams was remembering his younger brother Christopher Linn Williams. "He was a wanderer of the world," Williams said of his brother. (Marla Brose/Albuquerque Journal)

Copyright © 2017 Albuquerque Journal

More than a dozen of this year's 72 murder victims in Albuquerque were reportedly homeless when they were killed – living on the streets, in motels or in other unstable situations around the city.

Sgt. Elizabeth Thomson with the Albuquerque Police Department, said the total of 14 makes up a slightly higher percentage than in 2016, when 11 of the 61 murder victims were homeless.

However, she said, detectives are investigating whether one person, or a group of people, killed three of the 2017 victims, men who were found stabbed to death and in similar positions earlier this year.

She said the other 11 homicides don't appear to be related.

"We always have a number of people who were homeless who are included in our number of people who were murdered," Thomson said. "They are definitely victimized at a higher rate than the general population."

Body found in Four Hills area

By Matthew Reisen / Journal Staff Writer
Published: Saturday, December 23rd, 2017 at 3:32pm
Updated: Saturday, December 23rd, 2017 at 11:02pm


f SHARE
TWEET
LINKEDIN
EMAIL
PRINT
SUBSCRIBE



Police investigate the scene where a body was found with "massive trauma" in Four Hills on Saturday around noon. (Marla Brose/Albuquerque Journal)

2008-2014, United States Death Rates per 100,000 Population

All Injury, Suicide, All Races, All Ethnicities, Both Sexes, All Ages
Annualized Crude Rate for United States: 12.63




Reports for All Ages include those of unknown age.

* Rates based on 20 or fewer deaths may be unstable. These rates are suppressed for counties (see legend above); such rates in the title have an asterisk.

Produced by: the Statistics, Programming & Economics Branch, National Center for Injury Prevention & Control, CDC
Data Sources: NCES National Vital Statistics System for numbers of deaths; US Census Bureau for population estimates.

Suicide Deaths By Year, New Mexico And The United States 1995-2016



Since 1995, NM suicide rates have been consistently 1.5 times higher than national rates. Since 2006, suicide deaths increased in NM by about 25% compared to a 23% increase in the U.S.

Source: https://ibis.health.state.nm.us/indicator/view/SuicDeath.Year.NM_US.html



Search SAMHSA.gov

Search

Connect with SAMHSA: [Facebook] [Twitter] [YouTube] [BLOG]

- Find Help & Treatment
- Topics
- Programs & Campaigns
- Grants
- Data
- About Us
- Publications

Newsroom » Press Announcements » SAMHSA and VA Announce Cities Participating in the Mayor’s Challenge to Prevent Suicide Among Service Members, Veterans, and their Families

[Print] [Email] [RSS] [SHARE+]

- Newsroom**
- Media Guidelines for Bullying Prevention
- Press Announcements
- SAMHSA in the News
- Speeches and Presentations
- Infographics

SAMHSA and VA Announce Cities Participating in the Mayor’s Challenge to Prevent Suicide Among Service Members, Veterans, and their Families

Tuesday, February 20, 2018

The Substance Abuse and Mental Health Services Administration (SAMHSA) and the Department of Veterans Affairs (VA) are proud to announce the cities that will participate in the first group for the Mayor’s Challenge to Prevent Suicide Among Service Members, Veterans, and their Families. Albuquerque, N.M.; Billings, Mont.; Richmond, Va.; Helena, Mont.; Houston; Las Vegas; Los Angeles and Phoenix will form interagency teams to increase suicide prevention support for veterans in their communities. SAMHSA and VA identified these cities based on veteran population data, suicide prevalence rates and capacity of the cities to lead the way in this first year of the Mayor’s Challenge.

The goal of the Mayor’s Challenge is to reduce suicides among service members, veterans and their families using a public health approach to suicide prevention. The eight city teams will meet in Washington March 14-16, 2018 to develop strategic action plans to for their communities. The teams will contain members from community groups, local government, military and others. SAMHSA’s Service Members, Veterans, and their Families Technical Assistance Center will provide technical assistance to the teams.

SAMHSA and VA are committed to working with communities to bring this support to service members, veterans and their families. Along with the eight cities participating in this year’s Mayor’s Challenge, VA has committed resources to support technical assistance for an additional 20 locales.


Others interested in learning more about the Mayor’s Challenge can submit a request for information form at <http://bit.do/mayorschallenge>. For more information on VA’s suicide prevention campaign, visit <http://www.veteranscrisisline.net/bethere>. For information on SAMHSA’s suicide prevention efforts, visit <https://www.samhsa.gov/suicide-prevention/samhsas-efforts>.

Veterans who are in crisis or having thoughts of suicide – and those who know a veteran in crisis – can call the Veterans Crisis Line for confidential support 24 hours a day, seven days a week, 365 days a year. Call [800-273-8255](tel:800-273-8255) and press 1, or chat online at VeteransCrisisLine.net/Chat, or text to 838255.


For more information, contact the SAMHSA Press Office at [240-276-2130](tel:240-276-2130).

Preventing Suicide Among Veterans

The Veteran Status, Age And Gender Of The People Involved In BH-Related CADs With Field Officers Between November 1, 2017 And February 22, 2018




The 156 Cases Of Suicide By Month And Year




The data used in this analyses includes 156 cases of completed suicide that occurred between January 2016 and December of 2017. APD officers responded to these incidents and completed State Of New Mexico Uniform Incident Reports.

The 156 Cases Of Suicide By Veteran Status And Gender



The 156 Cases Of Suicide By Veteran Status, Age, Race And Ethnicity



Police: Man that threatened to jump from overpass is consistent offender




POLICE: Man that threatened to jump from overpass is consistent offender

I-40 reopens Monday after 12hr shut down

By: KRQE Media

Updated: Feb 04, 2018 12:00 PM MST



I-40 reopened after being shut down for hours Sunday

10 seconds left

ALBUQUERQUE, N.M. (KRQE) - I-40 was shut down for more than 12 hours Sunday after an individual threatened to jump off the Louisiana overpass. All eastbound lanes have since been reopened.

Individuals Who Threatened To Commit Suicide By Jumping Off Bridges Or Structure

APD: Person jumped to death from Louisiana onto I 40

By Elise Kaplan / Journal Staff Writer
Wednesday, February 21st, 2018 at 10:41am




Traffic slows on eastbound Interstate 40 at Louisiana after a person jumped to their death Wednesday morning. (Adolphe Pierre-Louis / Albuquerque Journal)




ALBUQUERQUE, N.M. — A person jumped to their death from the Louisiana overpass onto Interstate 40 Wednesday morning, according to a spokesman for the Albuquerque Police Department.

358 CAD's Involving Individuals Who Threatened To Commit Suicide By Jumping Off Bridges Or Structure From 2015 To 2017



The Age and Gender Of Individuals Who Threatened To Commit Suicide By Jumping Off Bridges Or Structure From 2015 To 2017



This Is Preliminary Data Based On 57 Cases

How Do We Get Smarter?
How Do We Get More Effective?